# Developing Sustainable Urban Mobility Plans

Guidelines for MobiliseYourCity geographies

BMTA



# For more information:

# MobiliseYourCity Secretariat

Rue Archimède 61, 1000 Bruxelles, Belgium

www.MobiliseYourCity.net

email: contact@mobiliseyourcity.net

**Title:** "Developing Sustainable Urban Mobility Plans - Guidelines for MobiliseYourCity geographies"

### Printed and distributed: February 2023

Authors: SYSTRA France - Marie Cleuet and Aurélie Jehanno

**Contributors:** Anne Chaussavoine (AFD), Sasank Vemuri (GIZ), Eléonore Francois-Jacobs (CODATU), Nicolás Cruz (CODATU), Mateo Gomez (GIZ), Elena Tanzarella (CODATU), Saman Tariq (GIZ), Kim Giang Do (GIZ)

# Copyright:

This publication is based on **Rupprecht Consult** (editor), Guidelines for Developing and Implementing a Sustainable Urban Mobility Plan, Second Edition, 2019. This document is subject to the copyright of the MobiliseYourCity Partnership and its Contributing Partners and authors. Partial or total reproduction of this document is authorised for non-profit purposes, provided the source is acknowledged.

# Disclaimer:

The content presented in this document represents the authors' opinion and is not necessarily representative of the position of the individual partners of MobiliseYourCity or the AFD.





# In collaboration with



# Table of contents

List of Abbreviations and Acronyms		5	
Introduction: mobility planning for MobiliseYour(	City geographies	7	
Common challenges across diverse geographies		9	
Defining Sustainable Urban Mobility Plans (SUMPs)		11	
SUMP's contribution to Sustainable Development Goals ar	nd the international climate agenda	15	
How can the national and regional levels support Sustain	able Urban Mobility Plans	16	
The process of developing a SUMP		18	
How do Sustainable Urban Mobility Plans work in practic	e	21	
Guide to the reader: How to use this document		24	
Phase 1: Preparation and analysis		26	
Step 0: Perform a readiness assessment		26	
Step 1: Set up working structures		37	
Step 2: Determine the planning framework		47	
Step 3: Analyse the mobility situation		56	
Phase 2: Strategy development		74	
Step 4: Build and jointly assess scenarios		74	
Step 5: Develop vision and objectives with stakeholders		82	
Step 6: Set indicators and targets		86	
Phase 3: Measure planning		89	
Step 7: Select measure packages with stakeholders		89	
Step 8: Agree on actions and responsibilities		94	
Step 9: Prepare for adoption and financing		106	
Phase 4: Implementation and monitoring		118	
Step 10: Manage implementation		118	
Step 11: Monitor, adapt and communicate		122	
Step 12: Review and learn lessons		127	
List of Figures		130	
List of Tables		132	

4

# List of Abbreviations and Acronyms

ADB	Asian Development Bank	
AFD	Agence Française de Développement (French Agency for Development)	
ASI	Avoid-Shift-Improve	
ASIF	Activity (trips in km per mode), Structure (model share), Intensity (energy intensity by mode in MJ/km), Fuel (carbon intensity of the fuel in kg CO2/MJ)	
BAU	Business-As-Usual	
BRT	Bus Rapid Transit	
CAPEX	Capital Expenditures	
СВА	Cost Benefit Analysis	
CH <sub>4</sub>	Methane	
CO <sub>2</sub>	Carbon dioxide	
CO <sub>2e</sub>	Carbon dioxide equivalent	
EASI	Enable Avoid Shift Improve concept	
EU	European Union	
GDP	Gross Domestic Product	
GHG	Greenhouse Gas	
GIZ	Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH	
GPS	Global Positioning System	
ICCT	International Council for Clean Transportation	
IEA	International Energy Agency	
IPCC	Intergovernmental Panel on Climate Change	
IT	Information Technologies	
LRT	Light Rail Transit	
MaaS	Mobility-as-a-Service	


MOU	Memory of Understanding	
MRT	Mass Rapid Transit	
MRV	Monitoring, Reporting and Verification	
NMT	Non-Motorised Transport	
NOx	Nitrogen Oxides	
N <sub>2</sub> O	Nitrous Oxide	
NUMP	National Urban Mobility Policy and Investment Programme	
OD	Origin-Destination	
OPEX	Operational Expenses	
OSM	Open Street Map	
РКМ	Passenger Kilometres Travelled	
РМ	Particulate Matter	
PPP	Public Private Partnership	
PT	Public Transport	
РТА	Public Transport Authority	
SDG	Sustainable Development Goal	
SLoCaT	Partnership on Sustainable Low Carbon Transport	
SUMP	Sustainable Urban Mobility Plan	
SWOT	Strengths, Weaknesses, Opportunities, Threats	
TOD	Transit-Oriented Development	
TOR	Terms of Reference	
ТКМ	Total Kilometres Travel	
TUMI	Transformative Urban Mobility Initiative	
UNFCCC	United Nations Framework Convention on Climate Change	
UX	User Experience	
VKT	Vehicles Kilometres Travelled	

# Introduction: mobility planning for MobiliseYourCity geographies

A Sustainable Urban Mobility Plan (SUMP) is a concept originally developed for European cities by the European Commission's Directorate General for Mobility and Transport (DG MOVE). SUMPs provide local governments and development organisations with an action-oriented, adaptable, and effective tool to shape sustainable urban mobility systems and realise the sector's contribution to the Sustainable Development Goals (SDGs).

MobiliseYourCity has been a leading force in disseminating SUMPs in the Global South since its inception in 2016. As of 2022, 69 cities and 15 countries across Africa, Asia and Latin America are collaborating closely with the MobiliseYourCity Partnership to develop scalable solutions for improving mobility in complex environments. At the time of this publication, 32 SUMPs are being developed or implemented with assistance from AFD, GIZ, Codatu, ADB, Cerema and the Wuppertal Institute.

By mobilising the technical expertise and financial strength of its donors and implementing partners, the Partnership is working with local governments to develop SUMPs, bringing tangible improvements and closing the financial gap required to make sustainable urban mobility a reality.




# **BOX 1** What is a Sustainable Urban Mobility Plan (SUMP)?

The European Guidelines for Developing and Implementing a Sustainable Urban Mobility Plan define SUMPs as follows:

"Sustainable Urban Mobility Planning is a strategic and integrated approach for dealing effectively with the complexities of urban transport. Its core goal is to improve accessibility and quality of life by achieving a shift towards sustainable mobility. SUMP advocates fact-based decision-making guided by a long-term vision for sustainable mobility. As key components, this requires a thorough assessment of the current situation and future trends, a widely supported common vision with strategic objectives, and an integrated set of regulatory, promotional, financial, technical and infrastructure measures to deliver the objectives - whose implementation should be accompanied by systematic monitoring and evaluation" (Rupprecht Consult 2019; 10).

# Leveraging finance from SUMPs and NUMPs



# Mobility plans are key in securing financing

SUMPs and NUMPs help our city and country members identify the right projects or programmes for their needs, and we are able to identify the selected measures with cost estimates.

Figure 1. Key figures on the MobiliseYourCity initiative<sup>1</sup> Source: MobiliseYourCity

1 For more information about the MobiliseYourCity actions and impact, check out the 2022 MobiliseYourCity Global Monitor

# Common challenges across diverse geographies

By supporting our members to develop SUMPs, we have gained unique insights about the diverse contexts and local challenges faced in the Global South regarding urban mobility, ranging from our largest member, Ahmedabad (7.8 million inhabitants), to our smallest, Kurunegala (122 thousand inhabitants). Their particular conditions offer specific opportunities but also challenges that differ from those of European cities, thus substantiating the need for tailored guidelines for the development of SUMPs in Africa, Asia and Latin America:

- A lack of technical capacities commonly constrains local governments from planning, enacting, regulating, enforcing, and monitoring policies related to urban mobility. In addition, decision-makers and practitioners may not be fully aware of the benefits of integrated and sustainable mobility planning, relying instead on old paradigms that tend to prioritise private vehicles over people. This limited approach to mobility planning fosters motorisation at the expense of quality of life, accessibility, and equity. A robust capacity-building approach and awareness raising about the benefits of sustainable mobility are thus a constituting part of MobiliseYourCity SUMPs that accompanies the entire elaboration process.
- In many cases, the existing governance and institutional frameworks compound the lack of local capacities by depriving municipalities of the required mandates to perform essential regulatory, managerial, and administrative functions, which may be inefficiently centralised or even non-existent. These limitations often lead to the uncontrolled proliferation of paratransit services and private motorisation, the prioritisation of road infrastructure, subsequent neglect of walking and cycling and other equally critical mobility-related issues.
- Compared to cities in Europe and North America, most cities in the Global South still **have low levels of private motorisation**. In other words, most people walk, cycle, and use public transportation to reach their destinations. Although these conditions may change as economies grow and the purchasing power of citizens increases, they still offer great potential for leapfrogging by breaking free from the inefficient, costly and environmentally harmful car-centric paradigm. While cities in the Global North struggle to reverse unsustainable trends of increased car usage in scarce urban space, developing cities can design and implement new and innovative urban mobility systems that are sustainable, attractive and accessible to all citizens.
- Paratransit, or informal transportation, is the main, if not the only, mode of public transport in the
  vast majority of cities in Asia, Africa, and Latin America, meeting more than half of the total transport
  demand of urban citizens. Recognising paratransit as a critical contributor to sustainable mobility and
  addressing the negative externalities of these services, such as low-quality service, precarious working
  conditions, and environmental pollution, must be a central objective of any sustainable urban mobility
  planning process.

- Good, reliable, and up-to-date data is a prerequisite for evidence-based decision-making and a robust
  and accurate understanding of every city's current urban mobility situation. However, cities in the Global
  South face low-data environments that severely constrain the planning process. To close this gap,
  SUMPs must prioritise and conduct a thorough and resource-intensive urban mobility diagnosis as a
  first step. Digital technologies can help with this task, for example, while mapping paratransit services
  or providing information on origin-destination through mobile-phone-generated data. Innovation in
  this space has great potential to leapfrog the cumbersome and expensive but essential data-collection
  process.
- Resources to finance sustainable urban mobility are scarce, and traditional financial instruments
  are inadequate to close the investment gap in fundamental areas such as the modernisation of the
  paratransit sector and the scaling-up of walking and cycling infrastructure. SUMPs are proving to be an
  effective tool to leverage local, national, and international finance as they create a political commitment,
  quantify impacts, provide an enabling environment, and design financial mechanisms that guarantee the
  bankability of measures.

MobiliseYourCity's SUMP Guidelines are an attempt to adapt the time-tested European SUMP Guidelines to fit the multiple contexts of the Global South, thereby empowering mobility practitioners and decision-makers, both within and outside the Partnership, in their current and future endeavours to develop Sustainable Urban Mobility Plans.



# Defining Sustainable Urban Mobility Plans (SUMPs)

A Sustainable Urban Mobility Plan is both a product and a process.

As a product, it is a planning document encapsulating the most relevant information from the SUMP's elaboration. It is the tangible output that would be adopted by political decision-makers (ideally through a legislative act), guiding the responsible institutions in its implementation in the long, medium, and short-term. The structure and content of such a document reflect the elaboration process itself.

# **BOX 2** MobiliseYourCity's SUMP Annotated Table of Contents

The MobiliseYourCity SUMP Guidelines provide recommendations for the elaboration of SUMPs. In other words, it exclusively focuses on the planning process. In contrast, <u>MobiliseYourCity's Annotated Table of Contents for Sustainable Urban Mobility</u> <u>Plans</u> gives information on how a SUMP (or other related strategic mobility planning document) is best structured and what information it should contain to achieve compliance with international SUMP standards. Adopting the SUMP document by the corresponding authorities is usually the final step preceding the implementation phase.

MobiliseYourCity's SUMP Annotated Table of Contents outlines the structure and content of the SUMP document (see also Table 14):

- Executive Summary background, objective, methodology, key results, recommendations
- Process, management structure and stakeholder involvement context, process overview
- Status quo analysis institutional, financial and planning frameworks, mobility and transport, demographics and urban development, accessibility, safety, freight, social dimension of mobility, environment
- Vision and objectives target and indicators, planned and proposed measures, comparison of SUMP and Business-as-usualscenarios
- Selected SUMP scenario and actions description of selected scenario and measures, cost estimates, implementation planning, funding and financing, capacity development strategy
- Monitoring and reporting core indicators, governance arrangement
- **Appendix** timetable of SUMP development, data collection methodology, participatory approach, description of scenarios, detailed description of measures, traffic model report

Bridge dedicated for walking and cycling, Brazil Credits: Kande Bonfim on Unsplash As a process, a SUMP is a planning approach that follows a specific methodology and adheres to the following principles specified in the European SUMP Guidelines:

SUMP principles, established by the European SUMP Guidelines	Implications for SUMP development in the Global South
1. Plan for sustainable mobility in the 'functional urban area' rather than the administrative boundaries. The Guidelines clarify the functional urban area in the first steps of the SUMP preparation, based on mobility patterns that reflect the distribution of economic activities and services over the territory or, more generally, land use.	Administrative jurisdictions in the Global South may not reflect current urban development patterns due to rapid population growth and urbanisation. In some cases, national governments assume or centralise administrative, regulatory, and policymaking competencies as existing local authorities lack the necessary capacities to fulfil their mandates. The existing governance arrangements often lead to an inability to cope with urban sprawl and meet the mobility needs of the population in a sustainable, safe, and accessible manner. As SUMPs focus on the functional urban area, they can provide valuable insights into ongoing or future decentralisation processes and inform the establishment or improvement of local and metropolitan transport and mobility institutions.
2. Cooperate across institutional boundaries, linking mobility and urban planning, road and public transport, infrastructure, and environmental and social institutions from every level of government. Involving relevant public stakeholders with a direct and indirect influence on urban mobility guarantees alignment of the SUMP with existing policies, regulations and institutional arrangements. Organisational cooperation secures the political ownership required for successful SUMP implementation and adherence to the plan over time, especially across electoral cycles.	The national government's involvement is essential as cities in the Global South commonly lack the fiscal capacity to implement a SUMP. They may not be mandated to access loans from international sources directly and may depend on the national level to enact specific policies or regulations identified in a SUMP. National governments are vital stakeholders in the elaboration as well as in the implementation of a SUMP. National governments may also assume a leading and proactive role within their countries by adopting enabling environments for SUMP adoption, for example, through National Urban Mobility Policies and Investment Programmes (NUMPs) (see also the sub-section of this chapter: <u>"How do</u> <u>Sustainable Urban Mobility Plans work in practice"</u> ).
<b>3. Involve citizens and stakeholders,</b> thereby ensuring that the mobility needs and interests of the population and businesses are considered, as far as possible, in the SUMP design.	Paratransit operators are key stakeholders to engage throughout the SUMP process. They are numerous and usually well organised (and thus have significant political power), but as the primary public transport providers, they are directly affected by any public transport reform or introduction of mass-transit systems. Making sure that workers in the sector have a say in the planning process is a prerequisite for a just transition to sustainable urban mobility. Participatory cultures differ vastly across countries. A significant challenge in the SUMP process is to ensure that all population groups are involved in the participatory process. The staff responsible for developing a SUMP must thus be innovative in its methods and seek to engage representatives and local leaders that can cover the broadest possible range of interests and perspectives. <sup>2</sup>

<sup>2</sup> For more information and guidance on stakeholder participation during SUMPs, see MobiliseYourCity's Topic Guide 'Participatory processes in urban mobility planning'.

<ul> <li>planning process.</li> <li>The selection of the most suitable SUMP scenario essentially builds upon the criteria mentioned above (mitigation impact and the feasibility of the proposed measures).</li> <li>Define a long-term vision and clear implementation path that is financially viable. Political ownership is necessary for long-term adherence to the SUMP. On the</li> </ul>	SUMP principles, established by the European SUMP Guidelines	Implications for SUMP development in the Global South
<ul> <li>5. Define a long-term vision and clear implementation path that is financially viable. Political ownership is necessary for long-term adherence to the SUMP. On the</li> <li>A SUMP process strengthens the decision-making process around urban mobility in the Global South. In contexts where national and local institutions lack the capacity and legitimacy to develop sustainable mobility, the SUMP establishes a long-term vision concerted with different</li> </ul>	of the transport system in the functional urban area by conducting a comprehensive urban mobility diagnosis, building and comparing SUMP scenarios against a baseline, and identifying indicators for	<ul> <li>developed with support from MobiliseYourCity. Hence, the assessment</li> <li>of a baseline and comparison with different scenarios entails quantifying</li> <li>the impact of the SUMP in terms of greenhouse gas (GHG) emissions</li> <li>reductions. This criterium contributes to each country's international</li> <li>commitments and is a prerequisite to access climate finance, a vital</li> <li>resource to be leveraged for SUMP implementation.</li> <li>Two additional criteria informing such an assessment are the capacities</li> <li>of the incumbent authorities and the overall financial performance of the</li> <li>transport system. Both are essential in comparing the feasibility of the</li> <li>different scenarios and identification of capacity-building measures, as</li> <li>well as the design of a financial mechanism in the later stages of the SUMP</li> </ul>
implementation path that is financially viable. Political ownership is necessary for long-term adherence to the SUMP. On theurban mobility in the Global South. In contexts where national and local institutions lack the capacity and legitimacy to develop sustainable mobility, the SUMP establishes a long-term vision concerted with different		The selection of the most suitable SUMP scenario essentially builds upon the criteria mentioned above (mitigation impact and the feasibility of the
other hand, adequate, prompt, dedicated resources contribute to results achievement for the implementation phase.stakeholders, transcending government terms and political discrepancies. Data-driven decisions are at the core of a SUMP action plan, shielding the 	<b>implementation path</b> that is financially viable. Political ownership is necessary for long-term adherence to the SUMP. On the other hand, adequate, prompt, dedicated resources contribute to results achievement	urban mobility in the Global South. In contexts where national and local institutions lack the capacity and legitimacy to develop sustainable mobility, the SUMP establishes a long-term vision concerted with different stakeholders, transcending government terms and political discrepancies. Data-driven decisions are at the core of a SUMP action plan, shielding the
while prioritising public transport and active measures to increase the attractiveness, quality, safety, and accessibility	while prioritising public transport and active mobility. The measures identified in the SUMP (infrastructure, technical, regulatory, awareness raising and financial) must reflect this integration to improve the quality, security, accessibility and efficiency of the	<ul> <li>Global South. However, relying on these modes is not a free choice but a necessity for most citizens. SUMPs must identify a wide range of integrative measures to increase the attractiveness, quality, safety, and accessibility of these two modes, as well as cycling, to fight rapid motorisation rates and improve the overall quality of life of urban spaces.</li> <li>With increasing investments in mass transit systems, especially Bus Rapid Transit (BRT), SUMPs are a valuable tool to ensure the integration between these new projects with other modes. For instance, the BRT project can integrate infrastructure investments in walking and cycling and include paratransit reform measures to guarantee complementarity and a just</li> </ul>
7. Arrange for monitoring and evaluation to assess the progress of the SUMP implementation and expected impact over time. Suitable indicators, data collection. Monitoring and evaluation are usually new responsibilities that need to be assumed by local authorities. The introduction of such systems must include the identification of required capacities to be built and establishing	to assess the progress of the SUMP implementation and expected impact over time. Suitable indicators, data collection, and evaluation methods must be identified to monitor and communicate such progress and make adaptations to ongoing measures	Monitoring and evaluation are usually new responsibilities that need to be assumed by local authorities. The introduction of such systems must include the identification of required capacities to be built and establishing organisational arrangements. Specifically, this may entail hiring and training
<ul> <li>8. Assure the quality of the SUMP by having mechanisms in place. Ensuring the quality of the data and risk management during implementation requires specific attention.</li> <li>MobiliseYourCity's implementing organisations support cities to develop SUMPs by providing technical assistance and mobilising international experts. Detailed methodological support and tools made available by the Partnership, such as this document<sup>3</sup>, guarantee the quality of SUMPs.</li> <li>Any city interested in developing a SUMP can seek support from international development organisations or national governments and join regional and national (if existent) communities of practice to share experiences and learn from the lessons of other cities.</li> </ul>	mechanisms in place. Ensuring the quality of the data and risk management during	SUMPs by providing technical assistance and mobilising international experts. Detailed methodological support and tools made available by the Partnership, such as this document <sup>3</sup> , guarantee the quality of SUMPs. Any city interested in developing a SUMP can seek support from international development organisations or national governments and join regional and national (if existent) communities of practice to share

 $\label{eq:constraint} \textbf{3} \quad \textbf{MobiliseYourCity's tools and methodologies are available at \underline{www.mobiliseyourcity.net.}}$ 


Table 1. Implications for MobiliseYourCity geographies of the European SUMP Guidelines

In addition to these principles and their implications on SUMP elaboration in cities in the Global South, MobiliseYourCity pays particular attention to the following elements:

- Set objectives in favour of climate change mitigation and adaptation: SUMPs introduce the climate impact as a criterion to define the mobility strategy in contexts where awareness of climate change is often limited or perceived as less relevant than other challenges. Thus, it encourages a shift in the political agenda and public opinion towards strengthened climate action.
- Adopt a contextualised and locally sensitive approach: to be effective; a mobility policy should be grounded in local practices, considering mobility determinants and triggers for change. Besides, SUMPs not only aim at climate change but also contemplate mobility as a factor for improving living conditions and supporting the local economy.
- Make the most of innovation and digital technologies' potential: developing high-value
  recommendations in contexts often marked by limited resources and available data is a demanding
  exercise that requires pragmatism and creativity. MobiliseYourCity strengthens the capacities of its
  members in that regard, as it fosters the development of free or open-source digital tools and best
  practices to implement SUMP activities with maximum efficiency.

# BOX 3 The Avoid-Shift-Improve (ASI) approach

The ASI approach helps mobility practitioners and decision-makers identify SUMP measures that contribute to climate change mitigation while at the same time promoting accessibility, efficiency, safety, equity, and overall sustainability in the transport sector.



# SUMP's contribution to Sustainable Development Goals and the international climate agenda

By developing and implementing SUMPs that encompass effective measures to decarbonise urban transport, cities can contribute to their country's Nationally Determined Contributions (NDCs) set forth under the international climate agenda and many urban-related goals specified in the New Urban Agenda as well as the Sustainable Development Goals (SDGs).

# **3** GOOD HEALTH AND WELL-BEING

### Targets

**3.6** - By 2020, halve the number of global deaths and injuries from road traffic accidents

3.8 - Achieve universal health coverage, including financial risk protection, access to quality essential health-care services and access to safe, effective, quality and affordable essential medicines and vaccines for all

3.9 - By 2030, substantially reduce the number of deaths and illnesses from hazardous chemicals and air, water and soil pollution and contamination

### **SUMP Contribution**

Reduce number of road fatalities by improving road network, reducing the use of cars, and better road management

Provide access to heath facilities to all by improving mobility, especially for minority groups and low-income households

Improve air quality of cities by reducing the modal share of private transport modes and promote clean mobility (electric vehicles, NMT...)



### Targets

9.1 - Develop quality, reliable, sustainable and resilient infrastructure

9.a - Facilitate sustainable and resilient infrastructure development in developing countries through enhanced FA and TA

### **SUMP Contribution**

Develop the transport infrastructure of the city, especially for public transport, adapted to the local context

Encourage the collection of data, then shared on open-source data platforms and used to develop apps to enhance mobility in the city (routing apps with GTFS availability...)

Organise the transport sector, potentially creating job opportunities



### Targets

11.2 - By 2030, provide access to safe, affordable, accessible and sustainable transport systems for all, improving road safety, notably by expanding public transport, with special attention to the needs of those in vulnerable situations

**11.6** - By 2030, reduce the adverse per capita environmental impact of cities, including by paying special attention to air quality

### **SUMP Contribution**

Plan the most adapted evolutions for the public transport network of the city, by constructing a shared vision with all the stakeholders and with the population

Encourage the use of non-motorised transport (incl. with related infrastructure development)

Pay special attention to vulnerable groups and minorities

Improve air quality of cities by reducing the modal share of private transport modes and promote clean mobility



### Targets

13.2 - Integrate climate change measures into national policies, strategies and planning

13.3 - Improve education, awareness-raising and human and institutional capacity on climate change mitigation, adaptation, impact reduction and early warning

### SUMP Contribution

Promote measures that will reduce GHG emissions, for example, by reducing the modal share of private transport modes, promoting non motorised modes, and recommending transition to cleaner energy for public and private vehicles fleets

Coordinate with national policies

# **17** PARTNERSHIPS FOR THE GOALS



### Targets

**17.3** - Mobilise additional financial resources for developing countries from multiple sources

17.9 - Enhance international support for implementing effective and targeted capacity building in developing countries to implement all the Sustainable Development Goals

17.19 - Enhance the global partnership for sustainable development to share knowledge, expertise, technology and financial resources, to support the achievement of the SDGs

### SUMP Contribution

Help to identify funding sources for implementation of the plan

Mobilise international partners, IFI's, transport operators, etc, to be part of the project

Make the city part of the MobiliseYourCity partnership for sustainable development, that mobilises and shares knowledge, expertise, technology and financial resources

Participate in MobiliseYourCity's knowledge platform on sustainable mobility


# How can the national and regional levels support Sustainable Urban Mobility Plans

Urban mobility closely interlinks with other policy sectors, such as the environment, road safety, health, spatial planning, and energy. Local, regional, and national authorities elaborate such policies and plans.

Understanding the relationship between different governance levels and designing a framework that allows efficient coordination and adequate support from the national to the city level is crucial to improve the investment environment and to bring urban mobility systems on a sustainable low-carbon track. The MobiliseYourCity Partnership has focused on an integrated approach since its inception, supporting the design of enabling national frameworks (NUMPs) and integrated urban mobility planning at the city level (SUMPs). The closeness of the acronyms NUMPs and SUMPs stresses the relevance of sound and consistent planning frameworks at the national and city level.

While urban mobility planning is primarily a local competence, cities cannot achieve the ambitious goals of sustainable urban mobility alone. They need enabling frameworks from the national government, as they often fall short of needed technical capacities and financial resources.

At the same time, national and regional levels of government also have much to gain from effective Sustainable Urban Mobility Planning, as the local-level improvements also contribute to achieving regional and national goals.



# BOX 4 National Urban Mobility Policies or Investment Programmes (NUMPs)

A National Urban Mobility Policy or Investment Programme is a strategic, actionoriented framework for urban mobility developed by national governments, and enacted to enhance the capability of cities to plan, finance and implement projects and measures designed to fulfil the mobility needs of people and businesses in cities and their surroundings in a sustainable manner. It builds on existing policies and regulations and aims at harmonising relevant laws, norms, sector strategies, investments, and support programs towards an integrated approach to benefit cities and their inhabitants. It takes due consideration of participation and evaluation principles.

The NUMP Guidelines were developed within the MobiliseYourCity Partnership and are available online. They provide practical guidance to facilitate developing or strengthening an existing NUMP.

**→** DOWNLOAD THE NUMP GUIDELINES

1...14

National governments may provide input data, especially regarding socio-economic context, vehicular fleet structure, and environmental performance. They may also have greater technical capacities on emerging topics such as air quality, climate change, and gender, with possibly national policies or qualified specialists that can support local initiatives. Overall, the engagement of both national and local levels throughout the SUMP elaboration is beneficial, for it assures that visions are well aligned, and sustainable mobility principles are shared.

The figure below illustrates how the local and national levels can interact.




Figure 4. Articulation between national and local transport authorities Source: MobiliseYourCity NUMP Guidelines



# The process of developing a SUMP

The main objective of the SUMP Guidelines is to provide a methodology for developing a SUMP: the SUMP cycle. Drawing from strategic planning, the European SUMP Guidelines first developed and outlined this methodology to adapt it to the urban transport sector. Since then, it has provided the groundwork for elaborating every SUMP in the Globe. In this publication, we adapt the SUMP cycle to fit the specific contexts of the Global South.

The SUMP cycle consists of four phases with thirteen main steps further broken down into activities. In practice, it may be adapted to the particular conditions of every city as long as the principles of Sustainable Urban Mobility Planning are followed.




Figure 5. The SUMP Cycle – 4 Phases and 13 Steps

Source: own elaboration based on Rupprecht Consult, Guidelines for developing and implementing a sustainable urban mobility plan

# PHASE 1

# Preparation and analysis

In the first phase, the groundwork for the planning process is done by responding to the following questions.

# Step 0: Perform a readiness assessment

### What are our resources? How do we get ready?

Description: Assess local capacities, available data, resources, and context and measure the gap to complete the SUMP cycle.

# Step 1: Set up working structures

### Who should get involved?

Description: Get the required external support and set up appropriate working and participation structures.

### Step 2: Determine the planning framework

### What is our planning context?

Description: Identify factors that might impact the planning process and determine general parameters of the SUMP (functional urban area, time horizons, ambitions).

# Step 3: Analyse the mobility situation

# What are our main problems and opportunities?

Description: Analyse the mobility situation from the perspective of all transport modes and relevant sustainability aspects over the entire functional urban area.

# PHASE 2

# Strategy development

The goal of the second phase is to define the strategic direction of the SUMP in cooperation with citizens and stakeholders.

# Step 4: Build and jointly assess scenarios

### What are our options for the future?

Description: Analyse the likely changes in external factors important for urban mobility (e.g., demography, information technology, climate) and develop scenarios that explore alternative strategic directions to the Business-As-Usual projected situation.

# Step 5: Develop vision and objectives with stakeholders

### What kind of city do we want?

Description: Use visioning exercises with stakeholders and citizens to co-create a shared understanding of desirable futures and related objectives that reflect major concerns while covering relevant sustainable mobility levers.

# Step 6: Set indicators and targets

### How do we qualify our criteria for success?

Description: Define ambitious, feasible, consistent, and supported targets, jointly with a set of strategic indicators that allow for monitoring progress in all objectives without requiring unrealistic amounts of new data collection.

# PHASE 3

# Measure planning

In the third phase, the planning process proceeds from the strategic to the operational level and focuses on measures to achieve agreed objectives and targets.

# Step 7: Select measure packages with stakeholders

### What do we do concretely?

Description: Create a long list of measures, assess their effectiveness and feasibility, consult with citizens and stakeholders, and select those that best fulfil objectives and targets. Plan the monitoring and evaluation for each measure.

# Step 8: Agree on actions and responsibilities

### What does it take? Who shall be in charge?

Description: Describe actions in detail, including their estimated costs, interdependencies, and risks. Identify internal and external financing instruments and funding sources for all actions. On that basis, agree on clear responsibilities, implementation priorities and timelines for each action.

### Step 9: Prepare for adoption and financing

# Are we ready to move forward with implementation?

Description: Finalise the SUMP document, check its quality, and ensure political endorsement and public support.

# PHASE 4

# Implementation and monitoring

The fourth phase focuses on implementing the measures and actions defined in the SUMP, accompanied by systematic monitoring, evaluation, and communication.

# Step 10: Manage implementation

# How can we manage the implementation of a comprehensive plan over the long-term?

Descriptions: The responsible departments and organisations should plan the technical details of their actions, undertake implementation, and procure goods and services if needed, paying particular attention to the coordination of the process.

# Step 11: Monitor, adapt and communicate

# How are we doing with the SUMP implementation?

Description: Systematic monitoring determines whether things are progressing as anticipated, allowing corrective action if needed. Understanding public opinion based on an active two-way dialogue is crucial for a successful implementation.

# Step 12: Review and learn lessons

# What have we learned from the SUMP evaluation?

Description: The last step of the SUMP cycle is evaluating successes and failures and communicating these results with stakeholders and the general public. This review process also assesses future and unknown challenges and solutions.

# How do Sustainable Urban Mobility Plans work in practice

# The operational side of planning

Managing a SUMP is a capacity-centred process. Some lessons learned can be highlighted and shared based on previous experiences:

- Although sometimes underestimated, a readiness assessment, which assesses a city's existing
  capacities and resources, is essential to understand the measure of the effort needed to launch a SUMP
  process. <u>"Step 0: Perform a readiness assessment</u>" provides detailed guidance in this regard.
- Ownership from local stakeholders is another key point that confers particular importance to the institutional set-up and capacities assessment (see also chapters <u>"Plan stakeholders and citizen</u> <u>engagement"</u> and <u>"Analyse problems and opportunities"</u>). In particular, organising stakeholder dialogue allows for a good understanding of the overall process, studies, and regular feedback.
- The elaboration of SUMPs demands **addressing numerous topics in a limited time**. It is essential to pay particular attention to the management of the SUMP process for the local counterparts to assimilate and react to technical propositions. This demand requires the involvement of local decision-makers at every phase and the accessible communication of milestones by the team responsible for developing the SUMP.
- **Capacity building is a continuous process** meant to be strengthened during the SUMP elaboration (phases 1 to 3) and maintained during the implementation phase. Indeed, the governance scheme and the degree of awareness and technical capacities of local stakeholders inform the timeline for implementing the action plan and prerequisites for training or capacity-building.



# SUMPs as an integrated process

A SUMP can be seen as one gear in a larger planning machine. It is often difficult to determine which gear drives and which is driven by the others, as this depends mainly on the time horizon and legal landscape. An overall urban development strategy may set the general goals for mobility, an essential input into a SUMP that drives the development of a detailed sectoral strategy. For instance, the interlink between a city master plan and a dedicated SUMP varies in hierarchy, complexity, comprehensiveness and detail. In practice, the timing may vary, but policy coordination is needed to ensure consistency and coordinate the timing, spatial scope and implementation of related planning processes and policies. Beyond saving resources through synergies and avoiding inefficiencies or even conflicts between policies, such coordination also reduces the disturbance created by infrastructure construction and the uncoordinated introduction of new systems.




Figure 6. SUMP as an integrated process

Source: Rupprecht Consult, Guidelines for developing and implementing a sustainable urban mobility plan





# Adapting the SUMP to the local context

The challenge of preparing and implementing a SUMP is to adapt the SUMP to a given local context without compromising the main principles behind sustainable urban mobility planning:

- The planning process can be adapted to the type of city under consideration, depending on whether it is a small urban or a metropolitan area, its relationship with the suburbs and its geographic location (coastal or inland, for example). Secondary cities are likely to face circumstances that may transcend the capacities and mandate of local authorities (e.g., the functional area may be larger than the current administrative divisions, and sectoral competencies may be fragmented throughout institutions and levels). In such cases, the SUMP shall identify an approach to engage all relevant stakeholders, thus preparing the groundwork for potential institutional reforms.
- Policy focus varies according to the mobility situation, dominant issues and challenges, and local
  political or public priorities. Therefore, the effort spent on each topic should be flexible and measures
  tailored to needs. Though SUMPs should strive for comprehensiveness, exhaustivity can be traded off
  for particular improvements or priority focuses.
- Local conditions topography, climatic situation, socio-economic context, and user preferences should be considered when designing mobility measures. Concepts developed in other cities may be relevant but should be adapted to fit the local context, typically through a participatory process.

# Planning in times of rapid change

Uncertain development trajectories characterise developing cities with a broad scope of possible futures. They are often uniquely vulnerable to climate change and other human and non-human-made threats. From a planning perspective, this condition represents a particular challenge that may require a risk management approach, depending on the magnitude and imminence of related risks:

- In phase 1, assess areas of uncertainty and related risks for consideration during scenario development. They may affect the forecast demand (demographic risks related to demographic dynamics, the relation between rural and urban areas, migration), funding capacities (economic risks associated with the fragile economic state, inflation, diplomatic situation), and political endorsement.
- In phase 2, consider sensitivity tests to assess the potential impacts of demographic or economic hazards and enable risk mitigation. It may stress different confidence levels for short-, mid-, and long-term targets.
- In phase 3, formulate risk management measures to improve the robustness of the SUMP against adverse circumstances. Identify indicators that allow for efficient risk monitoring and assess the capacities needed (possibly hiring a risk manager) according to the assessment of the risks.
- In phase 4, monitor and evaluate the impact of external circumstances on the SUMP results and progress toward the targets.

# Guide to the reader: How to use this document

These guidelines intend to support urban transport and mobility practitioners and relevant stakeholders in developing and implementing a Sustainable Urban Mobility Plan. It describes the process of planning and implementing a SUMP in four stages, with 13 steps. Each phase concludes with an output linked to a decision or/and an outcome required for the next phase, marking the end of the previous phase.

Phases and Steps	Outputs	Indicative duration
Phase I: Preparation and analysis		Four months
Step 0: Perform a readiness assessment Step 1: Set up working structures Step 2: Determine the planning framework Step 3: Analyse the mobility situation	<ul> <li>Self-assessment</li> <li>Mobilise days and establishment of working structures</li> <li>Agreement on a work plan</li> <li>Status Quo Analysis report</li> <li>Stakeholder engagement and communication plan</li> </ul>	
Phase II: Strategy development		Four months
Step 4: Build and jointly assess scenarios Step 5: Develop vision and objectives with stakeholders Step 6: Set indicators and targets	<ul> <li>Impact assessment and multicriteria analysis of different scenarios (report and model)</li> <li>Agreement on sustainable urban mobility vision (participatory process)</li> <li>Definition of priority areas, objectives, indicators and goals</li> </ul>	
Phase III: Measure planning		Four months
Step 7: Develop actions according to objectives and ambitions Step 8: Agree on actions and responsibilities Step 9: Prepare for adoption and financing	<ul> <li>A detailed description of each bundle of measures, including technical specification, regulatory, governance, engineering, financing, capacity development and managerial aspects</li> <li>Action plan with clear responsibilities</li> <li>Agreed SUMP implementation management structure (responsibilities at different levels and for all measures, list of coordinators, etc.)</li> <li>Detailed financial design, including financial mechanism and flow chart</li> </ul>	
Phase IV: Implementation and monitoring		15 years or more
Step 10: Manage implementation Step 11: Monitor, adapt and communicate Step 12: Review and learn lessons	• Agreement on monitoring and reporting framework and monitoring plan	

Table 2. SUMP development - Overview of steps, guiding questions and outputs

While some might want to read through the entire document, the guidelines are designed so that it is possible to consult a few specific elements throughout the process. The main idea is to serve as a useful and practical guide. **Each of the 4 Phases of the SUMP Cycle is structured in the same way** to strengthen the practical value of the guidelines:


- An overview table: Each phase starts by giving an overview of the process, expected outcomes, methods and tools.
- A concise description of each step: Each step, along with the associated activities, is presented in detail, including information about:
  - » The underlying process and tasks to be completed
  - » Expected outputs
  - » Relevant methods and tools to support the activities to be performed
  - » Practical examples and best practices that illustrate the requirements highlighted for each activity

Additional information and guidance for the different phases and steps are available on the MobiliseYourCity Partnership's website (<u>www.mobiliseyourcity.net</u>) and the SUMP Toolkit (<u>www.changing-transport.org/toolkits</u>).



# Phase 1: Preparation and analysis

# Step 0: Perform a readiness assessment



Before beginning the SUMP preparation, the readiness assessment should help the city in identifying its assets, and additional efforts required to implement the approach recommended by MobiliseYourCity in accordance with the present guidelines and the local context. The following activities will direct the city to assimilate the guiding principles for conducting a SUMP and possibly identify a need for external support. If so, requirements will be formulated to adapt the Terms of References for the related service. In the Terms of Reference, the organisation responsible for SUMP development will identify the tasks and deliverables to be performed by the external supporting organisation along the SUMP cycle. It is therefore essential to identify which activities can be performed by the local authorities, and which tasks shall be delegated throughout the entire SUMP elaboration process.

This initial step is key to ensure a smooth implementation of Phase 1; skipping readiness assessment will likely generate important delays when reaching Step 3, Analyse the mobility situation.

# **Evaluate local capacities**

Assess local capacities and gaps to be filled in the perspective of the SUMP implementation and follow-up.

This self-assessment shall consider not only the employees of the leading organisations but also relevant stakeholders from the public, private and academic sector. Therefore, stakeholder mapping shall be drafted and is to be completed before planning stakeholders' engagement (see <u>"Plan stakeholders and citizen</u> engagement"). The figure below presents how to identify relevant stakeholders.



# **BOX 5 SUMP Terms of Reference**

"MobiliseYourCity SUMP Model Terms of Reference" provides a detailed template and guidelines for drafting terms of reference for selecting the consultant responsible for the SUMP design if external support is needed. The document offers a standard plan to fulfil and adapt to the local context.

**⊥** DOWNLOAD THE SUMP TERMS OF REFERENCE





### Identification of relevant stakeholders

The table below helps you to involve stakeholders that have all the necessary skills and knowledge for Sustainable Urban Mobiity Planning. It allows you to check your ideas of whom to involve and to identify new organisations or people that bring in missing skills or knowledge. The concept states that SUMPs are only successful in cases where partners involved have four functional abilities:

- 1. Capacity to gain political support
- 2. Competence over transport networks and services
- 3. Technical excellence in SUMP development
- 4. Capacity to gain public support or to understand the urgencies and needs of the public


### Figure 11:

The Kingdom Model applied to SUMP. Functionalities and corresponding relevance, stakeholders and assets (based on Cre I., Mourey, T., Ryder, A., Heckley, S., Balant, M., 2016. CH4LLENGE Institutional Cooperation Manual. Working jointly with institutional partners in the context of Sustainable Urban Mobility Plans, p.24, www.eltis.org/resources/tools/sump-institutional-cooperation-kit).

Functionality	Relevance	Which stakeholders?	Key assets
Political Support	Who can assure political support and resources, within the transport sector and beyond?	<ul> <li>Mayor of cities that are planning a SUMP and city councilors (both majority and opposition)</li> <li>Mayors and representatives of neighboring cities</li> <li>Heads of metropolitan areas, province, counties, regions</li> <li>Representatives of district town halls</li> <li>Political parties</li> <li>Politicians from different local authorities within the SUMP partnership</li> </ul>	Vision, leadership, power, resources
Transport network competence	Who manages the respective transport network?	<ul> <li>Public transport companies (municipal buses, trams and metros as well as regional buses and trains)</li> <li>Owners of transport infrastructure (roads, parking, interchange stations, etc.)</li> <li>National railway companies</li> <li>Port authorities (when applicable)</li> <li>Airport authorities (when applicable)</li> <li>Providers of new mobility services (e.g., bike sharing, car sharing)</li> </ul>	Technical feasibility
Technical expertise	Who has the data and relevant skills to deliver a technically sound plan?	<ul> <li>Technical expertise from different organisations:</li> <li>City departments or public administration (transport and spatial planning, economic development, environment, health, tourism, etc.)</li> <li>Universities and other research</li> <li>Qualified companies</li> <li>Specialised agencies</li> <li>Qualified non-governmental organisations and associations</li> </ul>	Technically sound planning
Public Support	Who understands public and stakeholder opinions?	<ul> <li>Government bodies providing access to citizens, other stakeholders and the media.</li> <li>Within city services this can be: <ul> <li>Communication department</li> <li>Police force</li> <li>Department for economic development, job coaches</li> <li>City's ombudsman/mediator</li> <li>Educational department</li> <li>Moderators of advisory councils in different policy areas (transport and spatial planning, economic development, municipal youth council, etc.)</li> </ul> </li> </ul>	Values, sense of urgency

### Table 3. Stakeholders mapping

Source: Rupprecht Consult, Guidelines for developing and implementing a sustainable urban mobility plan



# Figure 7. Example of stakeholder mapping format<sup>4</sup>

As detailed hereafter, stakeholders' capacities in terms of management and technical skills are assessed. This self-assessment shall be conducted in a realistically, as it is meant to outline requirements for the capacity building process to be led throughout the SUMP elaboration and implementation. Indeed, one opportunity for the SUMP elaboration, especially when conducted in collaboration with external support, is to get familiar with sustainable mobility concepts, issues, and levers.

<sup>4</sup> See also https://www.mobiliseyourcity.net/topic-guide-participatory-processes-urban-mobility-planning

# Management skills for project coordination

- Project management (team building, process development, moderation and documentation)
- Financial management (budget planning)
- Staff management (incl. managing multidisciplinary teams made up of internal and external staff)

# Technical skills of the team members


- Urban planning and transport planning, including regulatory framework
- Expertise in important sectoral policies (economic, social, environmental)
- Moderation, mediation
- Data collection methods and empirical analysis (surveys interviews and modelling)
- Knowledge of mobility measures and impact assessment
- Writing and design skills for public relations
- Economic analysis, funding, and investment expertise
- Legal procurement expertise

### Table 4. Skills requirements for SUMP

Source: Rupprecht Consult, Guidelines for developing and implementing a sustainable urban mobility plan

Once local capacities have been assessed, it is also important to evaluate the ability to strengthen them, being through additional resources or training. From that perspective, it is worth considering that a several resources are freely available on the MobiliseYourCity knowledge platform to help cities initiate Step 1, Set up working structures.

Acknowledging existing and potential capacities among local resources allows for identifying the gap to be filled for carrying out the SUMP and helps determine to what extent an external support is required (see *"Consider external support"*). Furthermore, it will support the elaboration of a capacity building plan.



# Figure 8. Training material provided by MobiliseYourCity<sup>5</sup>

Source: MobiliseYourCity

<sup>5</sup> Other resources are available online. In particular, Transformative Urban Mobility Initiative (TUMI) provides relevant courses https://www.transformative-mobility.org/publications/transforming-urban-mobility-online-course

# Evaluate local resources

Resources here encompass the following:

Existing policies and regulation – Regulatory and legal framework allow the responsible authorities
to identify the current public stakeholders involved in planning, policy - and decision-making and their
corresponding competencies. It will also allow in understanding the legal and institutional landscape
within which the SUMP will operate. For example, knowledge about existing supporting frameworks
at the national or regional levels could prove valuable when mobilising additional resources for SUMP
development and implementation. Such an evaluation will also permit local authorities to address the
topics and regulations that are outdated or need improvement, and identify sub-sectors that are currently
not included and that may thus be integrated into the content of the SUMP.

Reports/plans	Organisation/sector	Activities/conclusions
Development Plan of Centre Region 2014-2020	ADR Centre	It has been considered and detailed the provisions regarding Transport and Communication Infrastructure Development, including the technical urban planning one at the level of Centre Region
SDTR - Territorial Development Strategy for Romania/Polycentric Romania 2035	Ministry for Regional Development and Public Administration	The conclusions and recommendations of the Expertise Report domain 4 Transport have been considered
Development Strategy Brasov County - Horizons 2013 - 2020 - 2030, approved by the County Council Brasov, decision no. 325 from 02.11.2010	City of Brasov / Transport infrastructure (streets parking, pedestrian areas and bicycles)	Revision of the projects planned for Brasov and for the rest of the country, and the projects identified have been considered in the SUMP
Sustainable Development Strategy for the Metropolitan Zone Brasov (2013)	Metropolitan Agency Brasov 2011	Strategies and key objectives have been considered
PUG - General Urban Plan Brasov - Municipality of Brasov Ministry	City of Brasov, June 2011	Specific information at general level and recommended urban transport projects have been considered
Sustainable Development Strategy of city of Brasov	City of Brasov	Information on proposed projects has been considered
General Transport Master Plan Romania, 2014 <u>http://www.ampost.ro/pagini/master-plan-general-de-</u> <u>transport</u>	Ministry of Transport Romania	Information on the base year and forecasting time horizons on socio- economic data, transport needs and traffic flows at the locality level. Information on the national strategy and implementation programme of the national projects has been considered.

 Table 5. Presentation of national/local policies and regulatory framework

 Source: SUMP of Brasov

Input data – preparing a SUMP requires a large amount of data. The table below offers an overview
of what is needed to complete most SUMP activities, according to the approach developed by
MobiliseYourCity. It is meant to guide the readiness assessment regarding input data, considering that
transport demand and supply information can be collected. On the other hand, socio-economic and
financial data can be provided by local administrations or institutions, as they rely on long-term records.
The city should gather the information available and qualify its relevance, as for time horizon, perimeter,
reliability, consistency, etc.

Field	Data	Sources	Indicators
Key data & indicat	ors		
Socio-economic	<ul> <li>Population and jobs in the urban area</li> <li>Social level/index per district or appropriate zoning system</li> <li>Projects of urban development and equipment</li> </ul>	Distribution over the urban area or appropriate zoning system	<ul> <li>Density, coverage, activity poles and major traffic generators</li> <li>Deprived population &amp; areas</li> </ul>
Mobility	<ul> <li>Number of daily trips</li> <li>The average time and distance of daily trips</li> <li>Average budget spent on mobility</li> <li>Volume and structure of daily trips</li> </ul>	<ul> <li>Data available per household, for different segmentation of the population (geographical, income, gender)</li> </ul>	<ul> <li>Travel rate</li> <li>Mobility patterns</li> <li>Affordability of public transport, including paratransit</li> </ul>
Demand	<ul> <li>Ridership and peak flow per mode/ line</li> <li>Counts of vehicles per type on the road network</li> <li>Origin – Destination matrix per mode (based on a zoning system)</li> </ul>	<ul> <li>Data from counts or ticketing system</li> <li>Data from Origin – destination survey and/or household survey</li> </ul>	<ul> <li>Modal share (number of trips, km per mode)</li> <li>Average occupation per mode</li> <li>Main flows in the urban area</li> </ul>
Transport supply	<ul> <li>Type of PT services, incl. paratransit</li> <li>Number of PT operators, licenses, fleet</li> <li>Routes and levels of service, incl. fare, frequency, travel time</li> <li>Road network description<sup>8</sup>, incl. walking and cycling</li> <li>Traffic safety: inventory of black spots, number of fatalities</li> <li>Ongoing and planned infrastructure or transport projects</li> </ul>	<ul> <li>Up-to-date information from operators – maps, timetables, GTFS, etc.</li> <li>GPS tracks of paratransit routes, jointly with average speed or travelling time</li> <li>Work with related authorities (road safety)</li> </ul>	<ul> <li>PT network coverage</li> <li>Vehicle/km per mode</li> <li>Level of congestion</li> <li>Km/density of infrastructure per mode, incl. sidewalks and cycle lanes</li> </ul>
Urban logistics	<ul> <li>Location of main hubs – ports, airports, markets, logistics centres</li> <li>Goods flow per category</li> <li>Trucks regulations and routing</li> </ul>	<ul> <li>Interviews with related authorities</li> </ul>	<ul> <li>Tons/km</li> <li>Percentage of trucks on the roads</li> </ul>
Financial	<ul> <li>Financial sources incl. subsidies, taxes, land value capture</li> <li>Financial capacities of local authorities, transport authorities, operators</li> <li>Investment into the transport sector over the past 10 years, the share of local contribution</li> <li>CAPEX &amp; OPEX per type of service</li> <li>PT fares and generated revenues</li> </ul>	<ul> <li>City budget and financial records</li> <li>Interviews with related authorities and operators</li> </ul>	• Financial capacities available to support the SUMP implementation

 ${\tt 6}$  Should include at least information about the profile and/or capacity (e.g. single lane, double lane, etc.)

Field	Data	Sources	Indicators
Supplementary da	ta		
Mobility	<ul> <li>Mobility purpose</li> <li>Mode perception</li> <li>Trips distribution over the day</li> <li>Walkability</li> </ul>	Household surveys or specific surveys	<ul><li>Share of trips by purposes</li><li>Reasons for mode choice</li></ul>
Transport supply	<ul><li>Mobility services: bike or car sharing, ride-hailing, MaaS</li><li>Car parks</li></ul>		<ul><li>Occupation of car parks</li><li>City coverage of mobility services</li></ul>
Social	<ul> <li>Income statistics</li> <li>Gender statistics - gender-related inequalities for access to public transport, services, and opportunities in the urban area</li> </ul>	• Specific to the study perimeter	<ul> <li>Coverage of public transport in comparison to low-income population location</li> <li>Public transport fares as a percentage of minimum daily wage</li> </ul>
Environment	<ul> <li>Fleet statistics, including private modes</li> <li>Local emission factor per type of vehicle, per pollutant</li> <li>Local consuming factors</li> <li>Noise measurements</li> <li>Air quality measurements</li> </ul>	Specific to the study perimeter	<ul> <li>The fleet structure according to vehicle age, motorisation, consumption</li> <li>GHG emissions per mode</li> <li>Air pollutant emissions per mode (PM2.5, PM10, NOx, SO2)</li> </ul>

# Table 6. Input data list (indicative)

Depending on resulting gaps or opportunities, liaise with the local public or open-source community – University, Open Street Map - to get support and enlarge the potential of SUMP activities and products. Also, investigate alternative, private sources of data and assess partnership opportunities from the early stages.

• **Communication and participation facilities** – a SUMP relies on participatory activities (such as focus groups, workshops, public meetings, public exhibitions) and large communication. It is important that these activities are fully supported by the city, to assert the political endorsement of the initiative but also to facilitate its implementation. In particular, meeting rooms and communication means (press or web channels, photographs, for example) can broaden the impact on the partners and the general public. The existence of a Public Relations Department within the local administration is a strong asset in that regard.

# Evaluate the context


The implementation of a SUMP project may be affected by various circumstances:

- Political instability a SUMP means to engage political actions over the long-term. Therefore, the success of the initiative is conditioned by political stability, but also a relative continuity of the personnel assigned to the SUMP elaboration, implementation, and evaluation, as part of a local authority. Indeed, a high turnover is likely to downgrade the ability of an administration to carry out the project along the whole cycle. Thus, a particular attention shall be paid to the electoral cycle, when considering launching a SUMP, and foreseen impacts on the technical staff, both at local and national levels. Related risks should be pinpointed and addressed when planning stakeholders and citizen engagement, ensuring participation across the political landscape (see <u>"Plan stakeholders and citizen engagement"</u>).
- Pandemic COVID-19 has revealed the vulnerability of human activities and mobility to pandemics, with dramatic impacts on the mobility demand, disturbing the transport sector. As a first outcome, sanitary restrictions made field surveys irrelevant, mobility patterns were temporarily altered and paratransit supply was distorted along with demand. Depending on the context, these effects have been observed for a more or less extended period, possibly changing local habits. The current mobility conditions, how they have been altered and their permanence over the mid-long term should therefore be qualified. It will later inform the SUMP work plan regarding the data collection process and the demand analysis (see "Agree on timeline and work plan" and "Collect information and data")<sup>7</sup>.



7 In that regard, see also the MobiliseYourCity dedicated publication (in Spanish).

- Economic crisis spending power<sup>4</sup> of households and price volatility are determinant parameters of the mobility demand, as any other consumed good or service. Generally, a crisis is likely to limit the capacity to plan for the long-term. Therefore, such situations require considering the long-term with caution; by conducting sensitivity tests and formulating adaptative measures. More specifically, various financing scenarios may be considered to cope with reduction of the public funds and assure the resilience of the SUMP.
- **Climatic emergency** the exposure of a city to climate change puts its activities and infrastructure at risk. This aspect should be considered as it will call for specific measures, including demand management, or infrastructure design. The nature and criticality of climate hazards are to be identified, reported and handled as part of the SUMP.







Figure 9. Augmentation of temperature (left) and precipitations (right)

Source: IPCC interactive Atlas

## Step 1: Set up working structures



## Consider external support

While the SUMP is meant to be owned by the city, external support may be considered, typically from a consulting firm, depending on the readiness of the city (e.g., conclusions of <u>"Step 0, Perform readiness</u> <u>assessment</u>"). If appropriate, this support may be brought by several consultancies and freelancers. In the present document, all external resources will be referred to as "the consultant" for convenience.

The distribution of roles and responsibilities between the local administration in charge and the consultant can be adapted to their respective capacities, although the following pattern is commonly considered.




Figure 10. Respective assets of local administration and consultants for SUMP elaboration

A central resource in the definition of the respective scope of work is the <u>MobiliseYourCity SUMP Model</u> <u>Terms of Reference</u> (TOR). This TOR template provides a basis, to be completed with elements about the local context, particular conditions that could affect the realisation of the service and specific requirements resulting from Step 1, Set up working structures and 2, Determine planning framework. On the other hand, some flexibility regarding TOR shall be allowed, during both the procurement and the SUMP development, to cope with unpredictable situations or to adapt the methods to the context, taking advantage of the consultant experience and proposed orientations once familiar with the local context.

## In particular, the Model Terms of Reference proposed by MobiliseYourCity shall be adapted regarding the following:

- Local capacities to supervise the consultant mission referring to the time that can be dedicated to coordination, follow-up, revise the production, and the capabilities to challenge the consultant. The number and format of deliverables, as well as the modalities for project management can be adjusted accordingly.
- Data collection provide a detailed description of existing data and current mobility conditions for the consultant to propose a suitable survey program. As previously mentioned, a preliminary assessment shall be carried out by the city regarding information sources and opportunities for collaboration with data owners. Indeed, delays and budgets required for data acquisition from private actors are often incompatible with a SUMP consultancy. Besides, local authorities are more likely to carry political weight while engaging with private companies.
- **Capacity building,** in the same line, the outcomes of the self-assessment and resulting needs for capacity building can be detailed in the TOR for the consultant to better draft his proposal. This is also a way to ensure that this component is properly budgeted and implemented.

# Set a proper budget for participatory process and communication

Participatory process and communication around the SUMP recommended in these guidelines require a special focus, as they may differ from conventional local communication practices used during transport planning and represent innovative approaches<sup>9</sup>. The opportunity and related efforts can be therefore underestimated, although they are powerful means of enhancing ownership and legitimacy of the SUMP, and the adequation of technical recommendations to the local context.

If the city decides to seek external support, the TOR shall specify local practices, actual needs and resources available, considering the capacities of the administration in charge. Related budgets to be dedicated by consultants shall be detailed in their proposals, expectations for the type of activities to be organised, the scale of implementation and the means the city can allocate are detailed. In exchange, the consultant is expected to present a detailed budget highlighting the share contemplated for communication and participatory process. Additionally, the associated activities necessitate logistical planning. Typically, in some geographic regions, stakeholders are encouraged to participate in workshops or focus groups through small compensation, refreshments, and/or snack.

Dedicated budgets, respectively for participatory process and communication, can therefore be explicitly requested in the TOR as a first intention. They may be adapted once the consultant is familiar with the local context.


As an example, creating a SUMP website is a relatively low-cost option, that has been chosen by several cities (Zhytomyr, Santo Domingo, Antofagasta, Ambato). At the same time, developing content, updating it and making it appealing is time-consuming, which may induce staff costs.

9 See also MobiliseYourCity's Topic Guide 'Participatory processes in urban mobility planning'



## Create SUMP management instances

Three management instances are generally considered, which may be adapted to the existing organisation and capacities.



#### Figure 11. SUMP management instances

To enrich technical discussions, it is crucial to **build a team for the Technical Committee that includes a variety of profiles** and can represent multiple visions and opinions. Consequently, **it is encouraged to connect with other departments** – typically urban development, environment, social affairs, economic development, finance, etc. for possible collaborations. In particular, **a sociology specialist should be involved** to ensure that sensitive topics like social inclusion and gender are adequately integrated and monitored throughout the SUMP elaboration.

The core team is responsible for conducting all steps throughout the SUMP cycle, involving the steering and technical committees at all relevant stages of the process, and preparing all SUMP-related products, such as periodical and the final SUMP report. It is important to note that a significant dedication is needed to fully support the SUMP activities and meet the project timeline. Moreover, **the participation of a "technical champion" into the follow-up and liaison with local partners is a key success factor.** A champion is a person well identified by the mobility stakeholders, with good credibility and the ability to continuously reach out and disseminate information about the SUMP, raise awareness, boost participation, etc. Similarly, the involvement of a "political champion" is likely to facilitate buy-in from institutions.

While having a champion on the core team is key during the elaboration process, they should not fully embody the SUMP because doing so could weaken it and even cause it to fail if the project champion departs the administration or the city.

Overall, the SUMP management instances should enable clear and efficient decision-making processes that allow to perform day-to-day follow-up (core team), review the main deliverables within two weeks (technical committee) and validate each phase within a month (steering committee), for instance.

Working structures shall be established formally, possibly during the Mobilise Days, at the kick-off of the project, and/or through a Memorandum of Understanding (MOU) to formalise cooperation agreement.



Mobilise Days in Medan, Indonesia

### **BOX 6** Mobilise Days

A central pillar of the MobiliseYourCity approach is to ensure the participation of citizens and stakeholders. Organising Mobilise Days is a way to officially launch the SUMP project, especially the related participatory process. The aim is to introduce sustainable mobility to the general public and engage simultaneously political and technical partners as a preliminary stage of the participatory process to be anchored all along the SUMP elaboration.

In particular, this event is meant to fulfil various objectives:

- Officially establish working structures: a formal event is needed to strengthen the commitment of institutional
  partners and initiate the necessary technical collaboration between institutional authorities.
- **Communicate to a large public** about the ambitions and final goals that underlie a SUMP (climate change mitigation, air quality, social inclusion, etc.) and affirm political support: The Mobilise Days is a good opportunity to communicate for it is likely to benefit from an extensive press coverage.
- Favour participation if adequate: while such an event seems more appropriate for communication purposes, participation can be encouraged through thematic stands or possibly open focus groups. Overall, participation enhances the public legitimacy of sectoral policies and the interest of the general public.
- Liaise with financial partners: raising awareness about the SUMP project is not only important with local citizens and stakeholders but also with potential financial partners.

The format is free and should be adapted according to local priorities and common practices regarding participation and communication. Activities can encompass high-level seminars to anchor the political process, awareness workshops for institutional actors, public debates on urban mobility, city planning and climate issues, Car-free Day or a Mobility week, photography contest, street interviews, etc.

While some of the relevant stakeholders are present in the SUMP management instances – generally public institutions' representatives or staff – others are partners that will be consulted along the process (see next chapter). The Technical Committee shall **aim at favouring ownership and sensibility to the sustainable mobility concepts among local stakeholders** according to their influence, thus targeting decision-makers in the first place. Indeed, ownership is one means to pave the way to SUMP implementation in a sustainable manner, a broad participatory process is another one.

#### Analysis of actor constellations

After stakeholders have been identified the constellations between these actors should be analysed. This analysis should be based on a list of different criteria or attributes which are relevant for the respective case, e.g. interest, power, influence on each other, coalitions, etc. This way you can find out what the objectives of each stakeholder are, what their hidden agendas are, and whether they regard themselves as winners' or losers' if a given project is implemented.

The objective of a systematic analysis of actor constellations is to get a clear picture of conflicts of interests or potential coalitions and to be able to better determine clusters of stakeholders who may exhibit different levels of interest, capacities, and knowledge in the respective issue.

This can, for example, be done by developing an 'Influence Interest Matrix', which groups stakeholders by their level of influence/importance.

#### Influence-Interest Matrix (based on UN-Habitat, 2001. Tools to Support Urban Decision Making, Nairobi, p.24)

	Low Influence	High Influence
Low Stake	Least priority stakeholder group	Useful for decision and opinion formulation, brokering
High Stake	Important stakeholder group perhaps in need of empowerment	Most critical stakeholder group

During the stakeholder identification process, consider identifying the role of existing 'local champions'. These are key personalities in the local network that are well recognised because of their personal skills, contacts, and their significant role for mobilising resources, creating alliances, etc. In the context of the SUMP, consider an early strategic assessment of their role – such persons can have an extraordinary influence on the process, and you might want them to stand by your side.

#### Figure 12. Analysis of actor constellations


Source: Rupprecht Consult, Guidelines for developing and implementing a sustainable urban mobility plan



## Plan stakeholders and citizen engagement

**Participation is a process rather than a methodology,** to be adapted to the local context, practices and ambition of local authorities. Indeed, cities should assume the leadership of this process to build legitimacy and favour the SUMPs permanence through time.

**Participation can thus pursue 3 different goals: communicate or advertise, collect information and collaborate**. For each participatory activity, the goal is set according to the public's level of knowledge or involvement in the SUMP along with the ongoing step of the project. It is assumed that stakeholders get empowered throughout the SUMP elaboration and can then further participate, moving to co-construction.



The arrows on the illustration above represent the information flow.

## Figure 13. Different engagement levels in participatory processes and interactions among stakeholders

Source: MobiliseYourCity, Topic guide – Participatory processes in urban mobility planning

The participatory process aims to address respectively the citizens and stakeholders, including public institutions, technical staff, operators, academics or representatives of the private sector. Depending on the level of awareness of each group, the participation process may be conducted separately, considering that participants shall present a fair and even level of knowledge about the topics to be discussed. For this reason, mixing the general public and the project stakeholders may result counterproductive.

Key success factors have been identified out of various SUMPs around the globe, carried out under the MobiliseYourCity initiative:

- Organise consultations with stakeholders continuously along the SUMP elaboration and implementation. The participatory process shall be introduced from the beginning and continuously maintained during the 4 phases of the project.
- Early stakeholder and citizen engagement should be planned early on, identifying adequate resources and precise milestones. As mentioned in previous chapters, responsibilities may be distributed between the city and an external consultant according to budget and capacities. In some cases, having a neutral facilitator to lead the process has been perceived as an advantage, whereas in others, the participation process was led by the local authorities themselves, sometimes counting with capacity-building activities to allow the city officials to effectively play this role. The social context and credibility of each party to act as facilitators are two other parameters to be considered when deciding upon the right approach.

• Reach out to all kind of publics, not only connected and well-organised ones. An outreach strategy should be elaborated to ensure that citizens are fairly represented overall, including those with different mobility needs. In the case of minorities, their participation may require particular efforts, such as dedicated focus groups or discussions (quantitative surveys are not suited for these groups). Generally, the diversification of channels (social networks, press conferences, radio, posters, flyers, etc.) is likely to favour access to a broader audience; however, each channel presents limits that should be clarified. Typically, open surveys or consultations on internet are an easy way to quickly collect opinion at low cost. However, the audience will then be limited to specific groups, especially those that are more digitally aware. In addition, spontaneous expression is often non-representative, for activists and opponents – to a given project - will speak out first.



Figure 14. The participatory process in the SUMP of the Santo Domingo Source: SUMP of the Gran Santo Domingo

- When inviting stakeholders and citizens to participate in activities, always communicate a clear process and agenda so that they know what is expected from them and how much effort and capacity is required.
- Ensure that the results of the participatory process are integrated in the decisions and content of the SUMP. These contributions should be included in a dedicated deliverable; the SUMP final document and the project communication (beyond the SUMP adoption).
- A public event should formalise the commitment to the SUMP by decision-makers, citizens and key stakeholders. In that respect, the MobiliseYourCity methodology proposes to conduct Mobilise Days.

An overview of recommended participatory tools and methods for SUMP development is proposed below.

<ul><li>Public</li><li>Stakeholders</li></ul>	Preparation and Analysis	Strategy development	Measure planning	Implementation and Monitoring
	00		formation campaign, local citizens/stakeholders as c er, Flyer, Brochure Broadcast/Podcasts, Video Channel, Newsletter	communicators & multipliers for the Community
Inform	O Mobilise Days		O D Mobilise Days	
	• Surveys: Online, on site, in household			• Evaluation questionnaires & surveys:Online/ on site
Consult	Crowdsourcing data: online map-based survey, problem reporting, OSM community	Interviews: Stakeholders, partners, key p	people,	<ul> <li>Evaluation interviews (telephone, key persons)</li> <li>Crowdsourcing data</li> </ul>
		• Focus groups: Stakeholders round table,	Public discussion follow-up groups	
Collaborate	<b>Problem analysis</b> brainstorming, Walk inspection	Scenario workshop: brainstorming, Walk inspection	,	• Field trip to implementation site Co-maintenance
		Shared-vision workshop	Financing / planning workshop	-u-maintenance
Empower	[	<ul> <li>Social board: Follow-u</li> </ul>	p of the plan by citizens Participatory budgeting	Co-implementation, Co-maintenance
				Trainings, overviews on key subjects

### Figure 15. Tools and methods for the SUMP participatory process

Source: own elaboration based on Rupprecht Consult, Guidelines for developing and implementing a sustainable urban mobility plan

# **BOX 7** Engage the civil society during the pandemic, the example of Antofagasta, Chile

While there was no previous citizen engagement experience in Antofagasta, the participatory process was identified as a special concern due to Chile's social and political context at that time. The participatory approach was also seen as a way to guarantee the SUMP implementation, even in the case of a political change in the city, since it makes leaders publicly accountable for the SUMP elaboration process. Thus, a particular emphasis was placed on the process, despite the sanitary crisis and related difficulties to reach out the public.

Two consultative groups were formed and maintained throughout the SUMP cycle: a technical board, composed of representatives from public institutions and private organisations (housing ministry, energy sector, environment etc.), and a social board, composed of representatives from civil society (neighborhood associations, elderly, people with disabilities etc.), NGOs and universities. The latter was comprised of 40 participants, although it remained opened to allow for more representatives to join. 12 meetings of the Social Board were organised, each with a specific objective following the SUMP methodology. After each session, a conclusion was presented as meeting minutes to the technical board, which integrated them directly into their plans; the conclusions directly influenced technical decisions. Minutes were generated after each meeting and presented to the technical board who integrated them in the plan. In addition, dedicated reports were issued in each phase and published on the web that summarised the activities and results of the participatory process.

To ensure a broad participation, online activities were carried out through a web page where news, study results, and surveys were continuously posted (although this channel cannot ensure the representativity of respondents). More specifically, an innovative concept of "itinerary public meetings" of the Social Board was proposed, in order to mobilise representatives from poor neighborhoods but could not be implemented because of the pandemic. Citizen's consultations were led by an external and, therefore, neutral consultant to favour trust and productivity of participation.





Figure 16. Participation phases in the SUMP of Antofagasta Source: SUMP of Antofagasta

## Step 2: Determine the planning framework



# Assess planning requirements and define geographic scope

Time horizons and geographic perimeters should be considered in Step 2, Determine planning framework, and possibly confirmed at the very beginning of Step 3, Analyse the mobility situation.

Draft plan for capacity building

Regarding time horizons, different notions are to be distinguished:

 The planning period, refers to the assigned period for Phase 4 – Implementation and monitoring of the SUMP. 15 to 20 years are commonly considered as a suitable timeframe, for infrastructure developments and paradigm change. Indeed, decision-makers and financial partners need to have a long enough perspective that divides into short-term, mid-term, and long-term goals. However, some cities prefer to define their timeframe through important milestones and do not use exact time frames.

- **The programming period** may correspond to the 2 or 3 first years, which are meant to be more detailed into the action plan to facilitate programming right after the SUMP adoption.
- The horizons considered for demand modelling refers to a farther future than the planning period, depending on the maturity of the city and the transport modes considered. In a context with mature urban organisation, steady development and the opportunity for Mass Rapid Transit (MRT) services and infrastructure to be developed, a 30-years horizon is better suited to meet the requirements in type and size of MRT projects.

Regarding the geographic perimeters, two different dimensions must be considered:

- The functional urban area (i.e., travel-to-work area). It can be defined as the footprint of current mobility patterns. In most cases, it encompasses suburbs laying in the area of influence of the main city, thus spreading beyond the administrative boundaries of the municipality. The functional area shall be considered in Step 3, Analyse the mobility solutions and in Step 4, Build and jointly assess scenarios, as the right scale for current and forecasted demand assessment.
- The operational perimeter covers the territory for SUMP implementation. It depends on the area for which the leading body is responsible, although another authority may be created as a result of the SUMP to better fit with the functional urban area. Indeed, a plan that covers the entire urban agglomeration will be much more effective than one that only covers part of it. The operational perimeter shall be considered from Step 5, Develop vision and objectives with stakeholders to Step 12, Review and learn lessons.




Figure 17. Operational (purple) and enlarged (purple and orange) - SUMP of Dire Dawa

## Link with other planning processes

## "Always start from what already exists and improve it before developing new things"

Identify, document and assess:

- Legal regulations and guidance on how to develop a SUMP, including potential requirements for the geographic scope or the responsibilities of different types of planning authorities (if any).
- Relevant regional and national funding criteria.
- Higher level plans, strategies and objectives that might influence your SUMP (Urban Masterplan, Road Safety Strategic Plan, etc). For example, the plans of a National Road Authority for new or enlarged roads could work against the objectives of a SUMP by encouraging more car driving into the city.
- Previous SUMP, if existing, will feed the analysis of the mobility situation (Step 3, Analyse the mobility situation) regarding planning capacities, as lessons may be learned from the implementation phase.

It is important to explicitly refer to previous or ongoing planning processes and transport projects, though conceptual, and integrate them as inputs, even if some may turn out irrelevant throughout Step 5. Develop a vision and objectives with stakeholders, and in Step 6, Set indicators and targets. Indeed, it must be ensured that the SUMP does not compete with other initiatives nor be disconnected from the planning and legal landscape to reinforce the legitimacy of the SUMP elaboration process and facilitate its adoption and implementation.

Define how Sustainable Urban Mobility Planning and other policies at the local and regional levels can be integrated. Especially review whether the goals of the plans support or conflict with sustainable urban mobility objectives. On many occasions, urban development is planned with no consideration of the impacts over mobility, therefore leading to excessive urban sprawl. **Strive to fully embed Sustainable Urban Mobility Planning into the development and implementation schedule of other existing policies and strategies.** 

Establish mobility and transport planning<sup>10</sup> as a shared policy domain. Ensure regular communication and exchange between relevant authorities (and within authorities, e.g. through regular meetings between transport and land-use planners). Consider including a land-use planner in your core team or steering group and give them a clear role in the planning process to facilitate ownership.

Strive for harmonisation of the timing of the SUMP with different technical and political decision-making processes (e.g., overall strategies, sectoral plans, elections).

<sup>10 &</sup>quot;Transport" usually refers to services and infrastructures for motorised modes. Mobility has a wider meaning. It generally encompasses both motorised and non-motorised transport modes, as well as public policies (fare policy, intermodal policy, universal access and social inclusion, gender-based policy).

Phases and Steps	Urban concerns	Environment concerns	Social concerns
Phase I: Preparation and ana	l Iysis	1	1
Step 0: Perform a readiness assessment Step 1: Set up working structures Step 2: Determine the planning framework Step 3: Analyse the mobility situation	<ul> <li>Collection of socio- economic data, administrative boundaries land use</li> <li>Analysis of urban structure, trips generators and major urban projects, developments</li> </ul>	<ul> <li>Collection of statistics about the fleet, motorisation, and fuel consumption</li> <li>Experience with an alternative source of energy</li> <li>Estimation of the GHG emissions of the transport sector</li> </ul>	<ul> <li>Collection of statistics about incomes</li> <li>Identification of deprived areas</li> <li>Analysis of accessibility and mobility conditions in deprived areas</li> <li>Affordability of the transport system</li> </ul>
Phase II: Strategy developme	ent		
Step 4: Build and jointly assess scenarios Step 5: Develop a vision and objectives with stakeholders Step 6: Set indicators and targets	<ul> <li>Consistency between mobility scenarios and urban scenarios</li> <li>Consideration of urban criteria within the evaluation: urban sprawl, density, continuity</li> </ul>	• Consideration of environmental criteria within the evaluation: reduction of GHG emissions, newly urbanised area, average trip distance	• Consideration of social criteria: affordability, spatial coverage of the transport system, even mobility condition over the territory
Phase III: Measure planning			
Step 7: Develop actions according to objectives and ambitionsStep 8: Agree on actions and responsibilitiesStep 9: Prepare for adoption and financing	<ul> <li>Articulation of urban and mobility planning processes and policies</li> <li>Policies and design standards for road infrastructure, including walking and cycling</li> <li>Trans Oriented Development measures</li> <li>Evaluation and Monitoring method and indicators</li> </ul>	<ul> <li>Fleet management and renewal</li> <li>Introduction of alternative energy sources</li> <li>Promotion of walking and cycling</li> <li>Budget for CO<sub>s</sub> emission mitigation measures</li> <li>Monitoring method and indicators</li> </ul>	<ul> <li>Evolution of fare policy and integration of social fare</li> <li>Integration of measures favouring social inclusion</li> <li>Budget for social measures</li> <li>Monitoring method and indicators</li> </ul>
Phase IV: Implementation an	d monitoring		
Step 10: Manage implementation Step 11: Monitor, adapt and communicate Step 12: Review and learn lessons	<ul> <li>Data exchanges to support</li> <li>Collective review of the SUN</li> <li>Continuous commitment to</li> </ul>	IP evaluation results	

Table 7. Interfaces with urban, environmental and social areas along the SUMP cycle



## BOX 8 How to mainstream gender throughout the SUMP elaboration process

(Box continues on next page)

While starting (Step 1, Set up working structures): check that women are fairly represented among working structures. Similarly, when planning stakeholders' engagement, make sure that women groups and speakers are part of the process. Consider gender in self-assessment, depending on general awareness of gender issues, and integrate dedicated training into the capacity-building plan. Capacity building is a way to enhance political endorsement at later stages. Regarding the external consultant, if a certified specialist is not mandatory, the proposal shall reflect a sensitivity to the topic and detail gender-specific methods.

As for citizens' engagement, ensure that participants in focus groups or workshops illustrates the diversity of viewpoints although they are not strictly representative as would be a quantitative survey. Thus, gender balance should be prioritised during citizen participation activities. To this end, activities should be scheduled at times and locations that favour the participation of various profiles of citizens, including women (per default, propose different times of the day, including weekends). An alternative to encourage women's participation is to provide them with the option of joining with their children, and possibly providing care spaces.

While conducting the diagnosis (Step 3, Analyse mobility situation): ensure that the survey program allows for gender-based analysis, especially in a household stated preferences and opinion surveys. The analyses shall later highlight:

- Socio-economic disparities: difference in household structure, revenues, car ownership, occupation, status within the household.
- Mobility disparities, regardless to occupation: trip structure, purpose, mode, time distribution, average duration and budget, women perception and safety issues, access to the labour market in the transport sector, etc. Common gender related challenges to be investigated are poor accessibility conditions (as women tend to take more trips in off-peak periods), violence against women, more limited access to transport sector job opportunities and transport governance.

When working on the action plan (Step 6, Set indicators and targets), once local gender-related challenges are identified, propose mitigation measures, adjusting the participation from stakeholders and citizens according to the criticality of the issues raised.

Dedicated workshops of focus groups may be considered that include women associations, traffic police or national bodies responsible for social affairs.

When consolidating the action plan (Step 7, Select measure packages with stakeholders), take a step back to review the SUMP performance regarding gender issues:

- Dedicated budget
- Target benefits
- Transport supply improvements/developments likely to impact women, and especially deprived women (actions applying to walking and cycling, safety, social fare, or others particularly addressing the poorest areas)
- Additional women's points of interest to be served,
- The exhaustiveness of monitoring indicators compared to identified challenges are keys topics.

Depending on local ambitions and political will regarding gender issues, a dedicated project management unit may be established as a result of the SUMP to manage implementation (*"Step 10, Manage implementation"*), with a dedicated team or project manager, and a sub-set of actions detailed in a Gender Action Plan. Another option is to include gender specialists in the mobility sector or having an intersectoral board to address gender issues.

#### WHAT IS GENDER?

Gender refers to characteristics of woman, men, girls and boys that are socially constructed.

Gender is a power relationship. The dominant patriarchal vision emphasises gender difference. The masculine and feminine are in a relationship, but it is not a symmetrical, balanced relationship.

Gender identity is a personal, internal perception of oneself and so the gender category someone identifies with may not match the sex they were assigned at birth.

WHAT GENDER IS NOT!

**Gender is NOT biological**: Sex is our biology – what chromosomes, hormones, genes, sex organs, and secondary sex characteristics we have – while gender is how we think of our identity in the context of how norms function in our culture.

**Gender is NOT Binary**: Some people have a gender identity that isn't simply 'man' or 'woman'.

A y Lill

Figure 18. Gender definition

## Agree on timeline and work plan

The elaboration of a SUMP is expected to take approximately a year; therefore, one year should be set as a target to keep the participatory dynamic active and deliver a plan that relies on up-to-date information.

Two activities usually stand on the critical path: the implementation of surveys and the development of a demand forecast model. For this reason, **objectives and needs for a demand forecast model shall be anticipated according to the local context and priorities** and related requirements for the data collection process (see also box hereafter regarding demand modelling).

#### Objectives of Phase 2, Strategy development and Phase 3, Measure planning

- Assess the social impact and inclusive character of mobility policy
- Develop a robust and detailed financial plan
- Have a clear understanding of modal share and a fair assessment of mode incidence on behaviours, possibly introducing new transport models
- Evaluate MRT projects accurately as for demand, cost impacts, etc.
- Consider a new fare policy as part of the SUMP


#### Incidence on workplan to be anticipated in Step 2, Determine planning framework

- Design the survey program in order to assess main resources and expenses of households
- Provide objective information accounting for direct and indirect beneficiaries of the transport system (e.g. origin and destination of trip, socioeconomic profile of passengers, etc.)
- Ensure that the modal segmentation is adequate and well understood by respondents, collect qualitative information regarding mode attractiveness
- Design the zoning and survey sampling according to the foreseen rank/station layout
- Assess willingness to pay, according to the level of resources

Figure 19. Examples of objectives for Phase 2, Strategy development and Phase 3, Measure planning and incidence on the work plan to be anticipated in Step 2, Determine planning framework

To meet the project planning, it is also recommended to:

- Limit the duration of the diagnosis, as there is a common tendency to stay focused on this first deliverable.
- Schedule on-site activities of consultants every 2 months or more, to ensure fair working periods.
- Communicate a provisional timeline so that involved actors can schedule in time for their contributions.
- Take into consideration potentially challenging periods (e.g., elections or budget planning periods). Moving ahead quickly in the months before an election may be difficult and may influence the timing of the planning process.



## **BOX 9** Demand modelling

While demand forecasting is part of the SUMP cycle's Step 4, Build and jointly assess scenarios, the fundamental approach to assessing future demand must be developed in collaboration with local authorities and tailored to the local context, capacities, and SUMP objectives. Indeed, different solutions can be proposed accordingly, from rough estimations to a four-step model. The modelling solution should be conceived jointly with the data collection program, considering that:

- A given modelling method implies data collection requirements.
- The overall approach shall be driven by the available data, with comprehensive and accurate data being of prior importance. The effort to be put in demand modelling should therefore be adjusted to the effort and ability required to achieve a reasonable data package.
- The model can perform some analysis of the current situation.

Overall, it is important to note that a full-fledged model featuring an assignment module takes about two months after survey implementation, making the Demand Forecast model development critical for planning. Besides technical advantages - higher precision in the characterisation/sizing of infrastructures projects, costing, easiness of computing indicators – having a demand model developed is an opportunity to raise awareness and propose basic training to the city planners about demand modelling.

# Formalise the participation and capacity building of the technical committee all along the work plan

As previously mentioned, a SUMP integrates a capacity building program, typically implemented by an external consultant. It covers:

• The involvement of local technical staff in all the SUMP activities, when carried out by a consultant, to learn from international methods and practices but also to ensure that these methods and practices suit the local context, especially when it comes to demand surveys. The surveys implemented as part of the SUMP will stand as a reference for a future update, meaning that the local authority should be able to design and implement surveys under the same framework. The table below highlights activities the local authorities may participate to.

Activities	Possible role for technical staff from local authorities	
Household surveys <sup>11</sup> (Step 3: Analyse the mobility situation)	<ul> <li>Attend progress meetings with the contractor in charge of the field surveys</li> <li>Attend surveyor's training and pilot</li> <li>Collect zoning, method, training material</li> <li>Learn how to use the survey database, as well as limits for data processing/analysis</li> </ul>	
Participatory process (through all phases of the process)	<ul> <li>Contribute to the engagement strategy</li> <li>Attend focus groups and workshops</li> <li>Participate in the production of the meeting minutes</li> </ul>	
Communication (through all phases of the process)	<ul> <li>Contribute to the communication strategy</li> <li>Attend all major events (e.g. Mobilise Days or equivalent)</li> <li>Participate in the production of press notes, posts etc.</li> </ul>	
Evaluation and monitoring framework (Step 8: Agree actions and responsibilities, Step 11: Monitor, adapt and communicate)	<ul> <li>Participate in the identification of indicators</li> <li>Review evaluation framework to ensure adequation to local means</li> <li>Produce first indicators for the current situation</li> </ul>	


#### Table 8. Involvement of local technical staff in the SUMP activities

The organisation of training sessions according to the capacity building plan. It should be carefully
prepared according to the readiness assessment and the scope of work defined for a potential external
consultant. Participants and their knowledge on each topic to be addressed should ideally be specified
and shared with the consultant to adapt the training content.

As a general comment, the city staff should make the most of the consultant's visits, attending all relevant activities and working in a close relationship, therefore it is recommended to embed the consultant team in the city premises.

<sup>11</sup> The household survey consists in surveying all the members of one household, except youngest children, and collecting characteristics of all the trips taken the day before – that also need to be a base day. Additional information regarding the household's socio-economic background and each member's profile are also recorded. See chapter <u>"Collect information and data"</u> for more detailed information.

## Step 3: Analyse the mobility situation



This is a major milestone that provides the basis for rational and transparent strategy development. Before conducting an analysis of the problems and opportunities in the field of urban mobility and including citizens in the analysis, information and data sources need to be identified and cooperation with data owners should be set up. The aim is to have target-oriented and focused data collection and analysis, which includes all transport modes and important mobility-related aims and trends for the entire functional urban area.



## Collect information and data

Acknowledge the resources assessment carried out in Step 0, ("*Evaluate local capacities*") to get a good overview of the available data, including quality and availability. Identify data gaps and additional information needed for your mobility analysis.

The data collection approach depends on the resources available, the size of the city and the level of reliability required. Two types of data can be distinguished:

- Quantitative data from surveys and counting, automatic measurements, GPS data, vehicle tracking, mobile phone, etc. These are essential to characterise objective matters, such as transport demand or financial capacities.
- Qualitative data from interviews, focus groups, field observation, etc. These are relevant to explore subjective matters, such as user perceptions and experiences.

More specifically, it is recommended to:

 Conduct a financial assessment as part of the urban mobility diagnosis: to elaborate a financially sound SUMP, the data collection shall enable the core team to set a clear and comprehensive overview of financing and funding mechanisms of the transport sector from the start: dedicated amount, sources, share of local taxation, etc. Contacts with national bodies or IFIs shall be planned in advance as there might be delays in reaching them.

#### Financing

Who finances a project means who, at the outset, raises the cash to build it.

Sources: This could be the public sector or private sector, who raise debt, equity and/or grants to finance the building of public sector assets.

#### Funding

Who found a project is a question of who ultimately pays for it over the long-term; is it the user/customer, the local, national or the other taxpayer?

Sources: user fees and ancillary revenues /advertising, land value capture), reductions in fuel subsidies, or grant programmes from government/IFIs, etc.

#### Figure 21. Financing and funding: definition and related sources

- Address gender-based, minority-based and resource-based analysis as early as possible by collecting
  adequate demographic data as part of the household survey: gender, sexual orientation, ethnicity,
  age, occupation, etc. Minorities are, by definition, difficult to reach, and the resource level is a sensitive
  data that can be delicate to collect, depending on the local context and cultural background. When
  defining the data collection objectives, these aspects shall be assessed according to the main issues
  or challenges to be addressed, and considering the limits implied by the contemplated data collection
  methods.
- Balance qualitative and quantitative data collection. While quantitative data is essential, especially to feed prospective analysis, qualitative information is the only way to go beyond closed questions and address minorities. Also, qualitative information could help to find connections and causalities among the data, adding human perception.

The data collection process aims at providing an updated picture of mobility and, more generally, the inputs needed to implement the MobiliseYourCity methodology, including:

- Gender-disaggregated mobility analysis (mobility patterns, preferences, and issues according to gender)
- Environmental analysis (GHG emissions generated by the transport sector, which can be estimated with MobiliseYourCity's Emissions Calculator)

- Prospective analysis and related method (demand forecast model and type of model: strategic model or 4 steps model)
- A baseline of MobiliseYourCity's Core indicators (see chapter "Step 6: Set indicators and targets")

The table introduced in chapter <u>"Evaluate local resources</u>" proposes a minimal data collection plan, considering common time and budget constraints (2 to 3 months, 10-15% of the consultant budget). It is worth noting that:

- Household survey is the core element of the data collection, regardless to the necessity to develop a demand forecast model. Indeed, it is the cornerstone of any mobility planning initiative, for it is representative of inhabitants' mobility over the urban area (see also the box hereafter).
- The data collection is not aimed at providing all missing data as some cannot be produced from scratch as part of the SUMP cycle, like land registers, land use plans or detailed financial sheets. In a context of poor or hardly reachable information, the lack of data can be considered a finding regarding planning capacities, resources and structural weakness of mobility organisation, not to be addressed through the data collection.
- The human resources needed depend on the type of surveys to be implemented: household surveys and state-preference surveys require qualified personnel, whereas counting and Origin-Destination surveys can be carried out with less qualified surveyors.
- Ensure gender equity among surveyor teams, in order to avoid gender bias (in some countries, women may feel more confident talking about their daily trips and habits to other women). Remember that detailing the exhaustion of one's activities can seem intrusive, and the information is considered as sensitive. In that same line, assign surveyors according to their own neighbourhood to facilitate their acceptance and welcoming by the population.
- To guarantee the actual quality of the collected data, the consultant shall spend at least 2 weeks on the field to oversee the training of surveyors and the beginning of field activities (including the household survey pilot).

As for surveys implementation, it is recommended to:

- Reach out for local skills, possibly through academic or technical communities (OpenStreetMap being an
  example of a technical community).
- Formulate a risk management plan or detail the survey plan according to potential risks and eventualities (typically, design options suitable for different sanitary situations, see also the box below).
- Get involved in the surveyors' training, pilot management and feedback.
- Optimise data collection, thanks to digital tools for enabling passive data collection (see the box hereafter).
- Formalise feedback on the implementation conditions, incidence on collected data and resulting limits to be minded in the later stages of the project.



### **BOX 10** Household survey

The household survey consists in surveying all the members of one household, except the youngest children, and collecting characteristics of all the trips taken the day before – that also needs to be a business day. Additional information regarding household's socio-economic background and each member's profile are also recorded.

A household survey provides a structural picture of the mobility of inhabitants, thus reflecting disparity among population groups. It details mobility patterns, costs, travel times and reveals preferences for modal choice. It also enables to build an Origin-Destination matrix representative of the daily trips over the urban area. The latter may be used as the core input of a demand forecast model.

The sample design is commonly derived from the method established by CEREMA, which ensures the representativeness of the urban population. It relies on:

- A zoning area, counting with a minimum of 20 zones. When not established by a statistical or demographic office, zones are defined to be consistent and homogeneous, from an urban and social perspective, regardless of their actual surface. Areas at different developmental stages should be addressed separately.
- A minimum sample of about 1% of the number of households, with at least 70 households and 160 persons to be surveyed per zone.

While representing a rich source of information, a household survey is quite complex to carry out and the following aspects shall be carefully considered:

- Access to households is not easy, as people may be reluctant to let a stranger enter their house. Wealthy districts are often more sensitive, especially high-rise residential buildings that may be guarded by private personnel. Therefore, it is crucial to benefit from the support of local authorities to conduct a large communication campaign and reach out to local partners (district-level representatives, for example) to encourage people to open their doors.
- Having all the members present at once is another issue. A trade-off should be found between targeting suitable hours, according to local habits, and an efficient, compact survey planning. Surveys may be completed on the phone but only if a minority of the members happen to be missing, as this option is uncertain. Overall, it shall be minded that the most active and therefore mobile part of the population is also the harder to reach.
- A household survey questionnaire is long and somewhat complex. For that reason, a training program shall be conducted by an external consultant to ensure that the surveryors have a good understanding of what information is being collected, as well as a certain ability to deliver the questions and have a critical view on responses. The latter should enable surveyors to perform quality check and assure the coherence of the information.
- A pilot survey should be implemented to test and adapt the questionnaire as needed, possibly by reducing questions, adapting the vocabulary, and verifying that the surveyors are ready to go on the field.



## **BOX 11** Design a data collection plan in times of sanitary crisis

Due to restrictions set in many countries to limit the spread of COVID-19, urban mobility has been widely affected, with sometimes long-lasting effects, depending on the economic situation, emergency measures and related impact on human activities. In particular, the attractiveness of public transport was negatively affected, and operations were limited in some cases to favour social distancing, leading to a drop in ridership. Such situations have rendered mobility surveys useless to carry out a SUMP, in addition to practical difficulties to be faced on the field, as mobility patterns are non-representative. Some mitigation actions have been proposed, as part of the latest SUMPs:

- Consider a T0 mission: the so-called "T0 mission" is a preliminary mission, administratively separated from the overall surveying process, that allows the consultant to acknowledge the situation and conditions for survey implementation when intervening in cities strongly hit by the pandemic.
- Use of big data, including mobile data bought from telecommunication operators or users' data from Google maps, Waze or other transit applications. In some cases, mobile data have enabled the pre-pandemic mobility database to be adjusted and expanded. Although this practice has been implemented and has allowed SUMPs to move forward despite sanitary conditions, it shall be minded that it also presents limitations. Related bias shall be carefully assessed, depending on the share of mobile holders and the number of telecommunication operators. Similarly, the usability of these data is not certain and may require significant processing. Last but not least, a previously established agreement with telecommunication operators is generally needed for contractual discussions that are unlikely to fit within the SUMP budget and timeline, as this data is usually very expensive.

Lessons learned regarding data collection and transport modelling during COVID times have been recently shared in a dedicated MobiliseYourCity publication (in Spanish).

▲ DOWNLOAD MODEL AND PLAN URBAN MOBILITY IN TIMES OF CRISIS (SPANISH)

Learn about local capacities to manage data and account for existing processes, in the perspective of forthcoming steps (evaluation and monitoring). In addition to the data gaps, the mobility diagnosis is the occasion to assess stakeholders' resources and capacities in data processing according to the value chain proposed below. This assessment would be the first step to developing a data management structure, possibly through establishing a mobility observatory, a common feature in all SUMPs. Indeed, the elaboration, monitoring and evaluation of a mobility policy require the production and analysis of large amounts of data that is usually distributed among various mobility stakeholders. To build a centralised information system that is efficient and resilient against turnover or changes in the institutional set-up, some IT resources and processes are also involved, jointly with management skills.




Figure 22. Value chain of data processing



## BOX 12 Make the most of digital tools to cope with the lack of data, the example of Abbottabad, Mingora and Peshawar (Pakistan)

Cities from the Global South often suffer from the absence of data, which thus affects their analysis and planning capacities. Furthermore, collecting paratransit supply information is a delicate task and a prerequisite for conducting a quantified analysis and understanding mobility patterns. As part of the Pakistani SUMPs (Abbottabad, Mingora and Peshawar), supported by MobiliseYourCity, these issues were addressed thanks to a refined survey program, supported by a combination of digital tools.

The chosen approach consisted of identifying and mapping transport hubs, inventorying the origin, destination, and level of service of the routes serving these hubs and collecting the actual itinerary thanks to a GPS tracking app. In Pakistan, this process was facilitated using a smartphone app based on OSM racker, that counts boarding and alighting, making on-board surveys more efficient.

Regarding the road network, an open alternative to Google Street view was used – Mapillary and Kartaview. It enabled the build-up of an illustrated GIS database and enriched OSM locally. This GIS database can later be shared among stakeholders, who are not always familiar with the whole urban area, and support planners in their day-to-day activities.

Buying satellite views in high definition may also be relevant to draw a map of the road network, as the quality of Google Satellite information is not the same over the globe (approximative cost is about 25 USD per km<sup>2</sup>).



Figure 23. Screenshot of OSM Tracker




Figure 24. Screenshot of Mapillary



## Analyse problems and opportunities

A good mobility analysis is crucial to define appropriate policies and provides the necessary baseline against which progress can be measured. The analysis should be as comprehensive as possible, highlighting mobility issues that will later help identify challenges to be addressed by the SUMP. The table below provides a basic structure to support the diagnosis, detailing key questions per topic and expected outputs.

Field	Key questions	Basic outputs	
Urban and socio- demographic	<ul> <li>How has the city developed in the last decades?</li> <li>What are the administrative and functional urban perimeters?</li> <li>How is the city organised, which neighborhoods can be distinguished and what are their characteristics?</li> <li>What/Where are the main trips generators, urban facilities?</li> <li>What are the demographic trends?</li> <li>What is the socio-economic profile of the population?</li> </ul>	<ul> <li>Administrative and functional perimeters</li> <li>Natural features and barriers</li> <li>Land-use map</li> <li>Trip generators map</li> <li>Population density and growth</li> <li>Socio-economic context: average monthly income per household, vehicle ownership, motorisation, population structure (according to gender, age, work status, occupation, education level)</li> </ul>	
Mobility	<ul> <li>What are the mobility patterns? As for mobility rate, spatial structure, time distribution, modal preferences, etc.</li> <li>What are the mobility determinants and triggers for change?</li> </ul>	<ul> <li>Mobility charts<sup>12</sup>: mobility rate, modal share, average daily mobility budget and time, flows map, trips distribution throughout the day, intermodal patterns</li> </ul>	
Transport supply	<ul> <li>What are the characteristics of the urban road network? Quality of the maintenance, city coverage?</li> <li>What are the different kinds of urban public transport services, describing their organisation, nature, level of service, quality of service, fare, business model?</li> <li>What are the characteristics of the pedestrian and cycling networks? Quality of the maintenance, city coverage?</li> <li>Which conditions are experienced by road, public transports, pedestrian and cyclists?</li> <li>What are the mobility services in the city (bike sharing, apps for routing, apps for ride-hailing)</li> </ul>	<ul> <li>Roads map per type, capacity</li> <li>Traffic hard spots map</li> <li>Road fatalities over time</li> <li>PT network map</li> <li>PT levels of service</li> <li>PT multimodal hubs map</li> <li>Paratransit business model and organisation</li> <li>Parking map/typology</li> <li>Walking and cycling facilities/mobility conditions (km of sidewalks, cycle lanes)</li> </ul>	

<sup>12</sup> Analysis should be detailed according to geographic areas, age and gender when relevant. They can be detailed according to other variables (for example revenues or occupation, condition of disability), depending on the reliability and representativeness of the data. Regarding mobility patterns and conditions of minorities or vulnerable publics, it is often more relevant to value qualitative information collected through focus groups, interviews, etc.

Field	Key questions	Basic outputs
Adequacy of transport supply and demand	<ul> <li>How does the transport supply fit the demand?</li> <li>How is the transport supply distributed over the urban area?</li> <li>How fair are accessibility and affordability conditions?</li> </ul>	<ul> <li>Mean occupation of public transport vehicles</li> <li>Map of population coverage by public transport</li> <li>Map of public transport accessibility, travel time to closest (sub-)urban centre</li> <li>Mobility expenses compared to the household income, in average or per category of population</li> </ul>
Urban logistic	<ul> <li>Where are the main freight generators located?</li> <li>What are the resulting flows of goods (volume, structure)?</li> <li>How is the demand assigned (modal choice determinants and preferences)?</li> <li>Which regulation applies, when existing?</li> <li>What are the land opportunities for developing a warehouse and logistic hub?</li> </ul>	<ul> <li>Maps of generators and consuming poles, including markets</li> <li>Maps of freight corridors and hubs</li> <li>Maps of areas under specific regulation regarding goods transport and deliveries</li> <li>Maps of truck parking areas</li> <li>Typology of goods and related modal options and preferences, level of services</li> </ul>
Governance	<ul> <li>Who are the mobility stakeholders? What are their resources and capacities?</li> <li>How are distributed responsibilities, as for mobility planning and related areas (urban, infrastructure, etc.)?</li> <li>What is the regulatory framework?</li> <li>How effective/efficient is the current institutional framework?</li> <li>How integrated are urban and mobility processes?</li> </ul>	<ul> <li>Mapping of stakeholders</li> <li>Stakeholders' organigram, including public and private bodies</li> <li>Stakeholders' responsibilities / involvement in the SUMP implementation and financing</li> <li>Policies, legislations, regulations, concessions</li> <li>National laws and policies to be taken into consideration</li> </ul>
Finance	<ul> <li>What is the recurrent budget for mobility and how is it structured?</li> <li>How is the recurrent budget financed? What is the share of local resources?</li> <li>How much has been invested in transport over the past decade?</li> <li>How much has been invested in the different transport modes and in sustainability aspects?</li> <li>Who are the main financial actors and decision-making processes? What are other potential funding sources?</li> <li>Public funding: is local public funding available? Do local actors can access national funds if available? What are the revenues generated by public transport fares? Is public transport profitable?</li> <li>Private sector: What role does the private sector play today? Could this role be strengthened? Are there public private partnership mechanisms in place?</li> </ul>	<ul> <li>Mobility annual budget breakdown per funding source</li> <li>Mobility annual budget over the last decade</li> <li>Mobility annual budget structure (share of CAPEX/OPEX)</li> <li>Funding sources (public and private)</li> </ul>


Field	Key questions	Basic outputs
Strategic planning framework and foreseen developments	<ul> <li>What was previously considered, as for mobility/urban planning?</li> <li>What are the strategic objectives regarding urban development in the future?</li> <li>What are the ongoing/foreseen urban and mobility projects?</li> </ul>	<ul> <li>Foreseen urban area/structure</li> <li>Map of main urban and transport projects</li> </ul>
Environmental and social impacts of the mobility system	<ul> <li>Does the transport system guarantee equal access, affordability and availability?</li> <li>How is the mobility system accessible/ attractive for women?</li> <li>How is the mobility system accessible/ attractive for youth/elderly?</li> <li>How is the mobility system accessible/ attractive for low-income population?</li> <li>How is the mobility system accessible/ attractive for disabled?</li> <li>Do transport-related measures facilitate employment and support the development of an inclusive labour market?</li> <li>What are the environmental performances of the private/public fleet? Based on the fleet composition, regulation, maintenance, fuel quality, etc.</li> <li>What are the CO<sub>2</sub> emissions of the transport sector on air quality?</li> <li>What is the impact of the transport sector on noise?</li> </ul>	<ul> <li>Specific mobility patterns by gender/age/ minority groups</li> <li>Share of mobility budget over households' monthly income</li> <li>Share of women among the transport sector labor force</li> <li>Coverage of the public transport in comparison to low-income population</li> <li>Structure of the vehicular fleet according to motorisation, age</li> <li>CO<sub>2</sub>eq emissions per year, total and per inhabitant</li> <li>Air pollutant (PM2.5, PM10, N0x, SO2) concentration</li> <li>Air pollutant (PM2.5, PM10, N0x, SO2) emissions per year, total and per inhabitant</li> <li>Observations regarding noise-related disturbances, if relevant</li> </ul>

Table 9. Guidance for analysing the mobility situation<sup>13</sup>

#### 13 For paratransit, refer to MobiliseYourCity's Paratransit Toolkit which includes practical guidance on how to conduct a diagnosis

While the analysis of mobility demand and supply is obviously central, it should not overshadow the following aspects, that will later represent significant inputs:


Integrate ongoing urban dynamics and developments. As mobility patterns result from the urban
organisation and constraints, it is important to understand the levers of urban development, related
stakeholders, processes and how they are connected to mobility planning. Indeed, this may inspire
actions of a higher impact than transport supply development, as it would directly affect trips' structure
and travelled distance (demand management). For example, in Antofagasta, Chile, the diversification of
the economy was set as a SUMP objective, with the underlying intention to reduce the dependence on
the mining sector.




#### Figure 25. Maps for urban analysis


Source: SUMP of Yaoundé

Assess social exclusion aspects in the framework of transport policies. This means considering the
needs of the entire population, including vulnerable groups such as children, people with reduced
mobility, the elderly, low-income households, minority groups, etc. Equity in access and opportunities for
all citizens should also be looked at (see also <u>"Collect information and data"</u> for related requirements on
the data collection program);












- Deepen the analysis of institutional framework focusing on practices and outcomes rather than official
  organisation. Institutional set-up is the key to the success of the later stages; therefore, it is essential
  to reflect in the diagnosis of the limits inherited from the current distribution of responsibilities among
  public authorities. More generally, this part of the diagnosis shall aim to:
  - » Identify the current legal landscape to understand which public actors are involved in policy- and decision-making.
  - » Understand the legal and institutional landscape within which the SUMP will operate. If there is already a national framework that enables SUMP development, see how to leverage this support (financial, technical, etc.). If not, ensure the SUMP has a solid legal basis to guarantee its adoption and implementation.
  - » Identify gaps to complement existing regulations. Typically, if there is no existing parking policy, it may be pinpointed as a potential measure of the SUMP.
- Assess financial aspects so they can later support the elaboration of the financing plan. In particular, the evolution of mobility investments and related contribution per financing sources over the last decade will help estimate trends and deduce financing capacities along the implementation period.



#### Evolution executed budget of the Urban Community of Douala 2008 - 2017

Figure 27. Evolution of the transport budget on the past decade CAPEX & OPEX in the SUMP of Douala




Figure 28. Distribution of responsibilities and financing sources in the SUMP of Dire Dawa

• While estimating carbon emissions of the mobility sector, acknowledge that considered assumptions will later support the estimation of the SUMP's GHG emission mitigation, one of the SUMP's most prominent targets. Thus, make sure to share and consolidate with relevant stakeholders the methodological framework and induced limits, making explicit and transparent the considered assumptions. Similar work or references may exist, including at the national level, which may raise some concerns about the coherence and compatibility of different approaches. They shall be clarified, relying on the MobiliseYourCity method and considering that national and local initiatives have different purposes, corresponding to distinct methods and input data.





## BOX 13 Paratransit, a central topic in the Global South

(Box continues on next page)

In many cities of the South, paratransit represents an important part of daily mobility - or even the only existing transport supply. It brings together services of varying degrees of informality and institutionalisation, from services operating in a deregulated market to recognised services operating in parallel with a regulated transport, although the relationship with public authority is limited or inexistent. While operators may be subject to driving or operating licenses, the service itself – routes, headways - remains under their control, according to a more or less fragmented operational landscape. The latter can be challenging when conducting the mobility diagnosis, as there may be no official nor formalised information about the paratransit supply and the business model.

The diagnosis of the paratransit sector should cover four areas: transport supply, service use, economic model structures, and organisational arrangements. Expected outcomes are detailed hereafter (See also MobiliseYourCity's Paratransit toolkit)

Transport offer	Number of vehicles by type, age of the fleet by type Quality of service (pax. information, comfort, reliability, etc.) Distribution of companies and number of vehicles per company Number of direct and indirect jobs Operating and service principles (taxi, fill and go, timetable, etc.) Mapping of lines or service areas (routes, stops) Mapping of assembly points (location, capacity, operating mode, etc.) Maximum number of services per route, place perkilometer offered, frequency, time span Kilometer output by type of service	Customer volume by route Type of customers Main origin-destination Frequency of use Market share of paratransit in trips Reasons for choosing/not choosing paratransit or official public transport	Service use
Structures and organisation	Mapping of public and private actors Structuring of the professional environment companies, unions, etc. Management methods for assembly points Legislative and regulatory framework Number of licenses or authorisations Estimate the volume and proportion of illegal activity Existence of contracts/agreements between the PTA, owners, drivers Contractual relationship/arrangements between owners and drivers Transport reform and modernisation initiatives, role of paratransit Existence of professionalisation and capacity building measures Any public investment	Applied rates, ticketing Operating accounts of the main actors — e.g., revenue and expenses breakdown: personnel, consumables, fuel, maintenance, purchase/renewal of the vehicle, rents, licenses, commissions, etc. Drivers' and companies' income, comparison with a verage income Positive and negative externalities for public authorities	Economic model

#### Figure 29. Elements for paratransit diagnosis

Regarding data collection, the main sources for the diagnosis can be summarised as follows:

- **Interviews** with drivers, vehicle owners or organisations depending on the type of organisation, regulatory authority and users. Interviews are a major source of information and allow to create trust with stakeholders, which is essential to discuss sensitive topics (the economic model in particular).
- **Demand surveys**, including possibly counts, OD, stated preferences and opinion. This type of survey should preferably be carried out at points where services are concentrated and at bus stations, whenever possible. Keeping in mind that the household survey will also provide data on paratransit demand, although less representative at a corridor level. Stated preferences and opinions may be aggregated to the household survey, to facilitate field activities on the street.
- **GPS tracking record** to map the transport supply. It also allows to assess the level of service, e.g., running time, speed, etc.<sup>14</sup> Besides, field observations are an indispensable activity, especially over assembly points. It often enables confirmation or finetuning the surveys implementation protocol.
- Fuel price indexes over the past years.
- Regulation, agreements, and licenses/permits database.

Overall, the types of modes considered along the SUMP elaboration should be clearly identified and agreed upon with local stakeholders, as the notion of public transport may be blurred and misleading. In phase 2 (Vision, goal setting and scenario building) and 3 (Measure Planning), the modal segmentation will be referred to when designing a structured transport network and defining a monitoring and evaluation framework. In particular, the estimation of GHG emission relies on a modal segmentation that should be consistent with the typology of vehicles and related emission factors.

14 Further information and references can be found online, getting inspiration from similar initiative conducted at metropolitan scale to map the public transport network, in Abidjan (<u>http://</u>doc.digitaltransport.io/abidjantransport.jo/abidjantr

## BOX 14 Social inclusion, a sustainable and technical challenge

While social inclusion is one of the three sustainable development pillars, and a major political concern in many cities from the global south, mapping the level of resources at local level is not easy. Especially, revenues can be tricky to survey due to biased responses (reluctance, objective difficulties to provide quantitative estimate of the household resources, informality) or the sampling method. Thus, the survey program may be limited and national statistics, when existing, may not be detailed enough (e.g., available by district or macro zone) nor up-to-date.

A possible alternative to value the social impact of the SUMP is to develop a vulnerability map, with the support of local stakeholders, reflecting social priorities across the urban area. It can serve as a basis for the mobility situation, the scenario's evaluation, and the setting of social indicators, as part of the SUMP monitoring process.

# Conclusion of the diagnosis and formal validation of mobility issues

This last activity is a fundamental milestone of Sustainable Urban Mobility Planning, aiming to achieve a common understanding, together with important stakeholders, of the main mobility challenges and opportunities. To that end, the diagnosis conclusion shall clearly highlight the issues raised along the analysis of the mobility situation, being through a SWOT analysis (strengths, weaknesses, opportunities, threats) or in a more descriptive way.

#### Figure 4: Summary of Key Feedback on what works well in Pristina

Figure 3: Summary of Feedback on Transport Problems & Issues in Pristina

What works well in Pristina?		What does not wo	rk well in Pristina?
Public Transport	Car Transport and Parking	Public Transport	Car Transport and Parking
Introduction of new modern vehicles/fleet People are starting to use new vehicles more Low ticket prices/fares Good coverage of taxi services across the city Some bus routes are now observed to be improving	Introduction of traffic calming and bollards to manage traffic and parking Traffic Monitoring Centre	Illegal taxi Missing information and information system Poor access for disabled persons No ticket integration Unreliability Missing public transport preferences	Congestion Problems with parking including disabled person's vehicles parking No regulation for heavy vehicles to enter city centre Low activity of the police
Active Modes and Public Spaces	Quality of Life	Active Modes and Public Spaces	Quality of Life
Good use of natural assets (Germia Park) Green spaces exist across the city (and are expanding) Provision of lighting across crosswalks The level of street signing is considered quite good Good conditions for pedestrians in the city centre	Quality of Life Improved public street lighting in some neighborhoods Air quality monitoring takes place Good cultural facilities exist within the city	Vehicles parked on pavements and places for pedestrians Lack of cycling infrastructure Almost no components for disabled persons in the public space Unsuitable usage of public space of streets Unsatisfactory level of safety of pedestrians and cyclists Poor number of parks and green areas, relaxing areas	Air and noise pollution Safety Cultural life and sport
Source: Mott MacDonald		Source: Mott MacDonald	

Figure 30. Diagnosis conclusion





It should then be shared and consolidated jointly with local stakeholders to ensure mutual understanding and ownership of that first deliverable, that will serve as a basis for building development scenarios and setting strategic objectives. Later on, the main findings should be summarised and broadly communicated, to the public (web and/or press publication, for example).

It is possible to involve key stakeholders and local politicians again to foster acceptance of the SUMP, make the process accountable and provide a sound basis for the upcoming strategy development.





Figure 31. Cartographic synthesis of main issues regarding the road network Source: SUMP of Yaoundé

# 2 Phase 2: Strategy development

# Step 4: Build and jointly assess scenarios



Scenarios help better understand the likely effects of external factors that affect urban mobility (such as changes in climate, information technology, finance, and security) in combination with alternative approaches to react to them. By illustrating different possible future situations, they allow planners to assess the consequences of current trends, potential societal and local changes, as well as alternative strategic policy priorities independently of each other.

Examining the effects of these different scenarios strengthens the factual basis for strategic decisions, also informed by the urban mobility diagnosis. Thus, Step 4, Build and jointly assess scenarios, is meant to inspire the development of the vision and objectives formulated in Step 5, Develop vision and objectives with stakeholders. Depending on the city readiness, the strategic vision may emerge earlier, in which case the vision and the scenarios iteratively feed each other. In such cases, Steps 4 and 5 would work in parallel.


#### Develop scenarios of potential futures

A scenario is a description of a specific set of developments in the future which are relevant to urban mobility, including the likely effects of external factors (such as demographic and economic circumstances), as well as those of strategic policy priorities (such as a strong active mobility or electromobility focus).

Building scenarios may be difficult if starting from scratch with no previous experience in mobility planning or similar exercise. In such cases, different approaches can be adopted to define projections:

- Collectively identify evaluation criteria as a way to prefigure the scope of desirable futures.
- Address the main challenges identified in the diagnosis.
- Brainstorm about determining factors, disruptive events, or main points of uncertainty, based on the diagnosis, that would allow to discriminate scenarios.
- Get inspired by other cities to appreciate different strategies considered while facing the same mobility issues.








The scenarios developed may allow to address several elements that will affect their feasibility and thus the likelihood of their realisation:

- Uncertainty (typically regarding the effective implementation of a major urban project, the availability
  of resources, etc. in which case the scenario presents the best mobility system according to
  circumstances),
- Ambition and capabilities (different scenarios may reflect different degrees of intervention and investments. These are coupled to assumptions about the ability of the city to mobilise the resources required to implement them), or
- **Divergence in opinions** regarding the vision and priorities (as for the share of road versus PT investments for instance).

yhil 





In any case, a Business-As-Usual (BAU) scenario shall be included to support the evaluation of scenarios. Similarly, a "trunk" scenario will likely emerge that aggregates the most obvious and consensual features. It may represent a scenario or figure a common component to all scenarios.

Ensure that considered scenarios bring positive environmental and social impacts, when compared to the BAU scenario. It is important that these aspects are perceived as major goals by the stakeholders, as part of a sustainable mobility strategy, and not ornamental features. In particular, one main ambition of SUMPs is to generate GHG emissions cut over the long-term.




Figure 34. Expected impact of development scenario regarding GHG emissions

Special attention should be paid to the BAU scenario since it will become the reference against which the scenarios are compared regarding performance and efficiency. The BAU scenario is not supposed to be the scenario of the current state of the transport system – this would lead to overestimate the benefit of the project. A scenario in which no SUMP is undertaken will certainly have other projects implemented. Therefore, transportation and urban development assumptions for the BAU scenario should be formulated with caution. Assumptions could be compared to national growth indicators and ratios if available or funding capacities to clear the real potential development trend from strong-willed ambitions that could finally turn too optimistic.


#### Discuss scenarios with stakeholders

Discussing the different scenarios and their impacts with stakeholders is the first step towards a widely accepted mobility vision.

At the first meeting, provide basic information to stakeholders to ensure a common level of knowledge. It should include information on any existing visions, mobility analysis results and the description of scenarios. Basic questions to be addressed are:

- Which needs for change does the BAU scenario reveal?
- Which of the alternative policy priorities are desirable and why?
- What level of ambition is needed to achieve sustainable mobility in the future?

Discussing evaluation criteria can also enable to sort out stakeholders' priorities and main concerns.





Scattered City	Two Cities	Polycentric City
The scattered city scenario needs to develop the road network over a widespread area with limited density. Its development is extensive according to a rather low hierarchized frame. Primary and secondary road categories are more limited than tertiary roads which account for a significant share of the overall network. The overall network structure is extended and widespread.	The two cities scenario is strongly structured along a well-developed and meshed secondary network. Each city old and new is developing this category and links it to the primary network. This development allow to alleviate traffic from the primary roads in the busiest areas. The links between the two cities are taken by a primary and a secondary road that cover all needs.	The polycentric city has an overall balanced network. It relies on a slightly larger primary network than other scenarios, providing an alternative to the main axis that currently concentrate all flows. A second east west road between Melka Jebdu and Kezira allows to better manage the traffic in existing Dire Dawa, providing better access to main trip generators (university, city hall, new railway station). The secondary network matches with the urban shape and urban polarities distribution.
Primary road Secondary road Tertary road	Primar road Primar road Tertiary read	Prima y road Secostar road Tertiar y read

Figure 36. Three scenarios studied in the SUMP of Dire Dawa Source: SUMP of Dire Dawa

Once consolidated, the scenarios shall be evaluated according to refined objective criteria:

- Adequation with demand and coverage of the public transport supply: public transport modal share, the modal shift from private car, demand over capacity delivered, the share of inhabitants/jobs served, variation of indicators per area or district.
- Adequation to the urban environment: the need for urban renewal and resettlement, impact on the urban shape.
- Environmental impacts: reduction of GHG emissions.
- Social impacts: time savings, cost savings, improvement of accessibility conditions.
- Financial impact: the total investment, coverage ratio, need for public subsidies, and additional funding capacities.



Key indicators					
	Scenario <b>Minimum achievements</b>	1st scenario <b>Balance</b>	2nd scenario Maximum achievements		
Traffic					
<ul> <li>Modal shares - Public transport/taxis/private motorised transport/motorcycle taxis/active modes (%)</li> </ul>	2,5/ 39/9/14/35	4,8/37/9/14/34	6/37/9/14/33		
• Average speed (km/h)	15	18	16		
• Distance travelled (veh/km)	3'970	3'926	3/781		
Public transport					
• Number of trips by public transport (pers/day)	144'000	284'000	367'000		
• Population moved by public transport (%)	35	35	42		
Accessibility to neighbourhoods					
Development of additional roadways	-	85	25		
Socio-economic analysis					
<ul> <li>Additional investments (M€)</li> </ul>	-	400	360		
• IRR (over 30 years)	-	14%	30%		
Quality of life/environment					
• GHG emission rate (KteqCO2/year) – 2035	779	773	751		

#### Table 10. Multicriteria analysis of scenarios Source: SUMP of Yaoundé



#### BOX 15 Transport demand model

A transport demand model relies on existing knowledge of the transport supply, the transport demand and how the two interact (e.g., users' preference according to mode, price and travelling time). Based on the relation between transport supply and demand, the model can assess transport demand under hypothetical conditions. It thus enables to assess the adequation of a transport supply scenario in a given socio-economic context and therefore design a public transport network that suits the mobility need of a city, integrating foreseen urban developments. More specifically, a transport demand model allows transport planners to find the best compromise between the satisfaction of the transport demand and investments to be realised both on infrastructure and services. Throughout the process, debates may be hindered by disagreements or misunderstandings. The table below provides some hints to cope with some common situations.

lssue	Possible way out
Conflictive opinions among stakeholders	Get back to technical facts or results, issues identified in the previous phase or priorities yet established, contemplate specific training or benchmarking, and involve a specialist or a counterpart experienced on the referred topic.
Low resources, difficulties to believe in a future involving costly investments	Propose financially realistic scenarios aligned with financial capacities, adopt value-based management, ranking objectives or formulating low-tech alternatives, consider alternative/ complementary funding sources such as property value capture, participation of the private sector, etc.
No vision emerging from the stakeholders	User persona or UX design methods to provide more concrete material and facilitate the discussion: typically develop narratives that consider specific characters such as a student, a woman, a person living in the suburb, etc.

Table 11. How to handle the stakeholders dialogue as part of the phase 2


Experience shows that citizen participation is not desirable during scenario development, for it is quite technical and abstract. Therefore, it is mainly recommended to work with key stakeholders. Citizens' participation may be contemplated – as it has been in Antofagasta, Chile, for example – but only if resulting contributions are valued and considered in the later stages. In particular, features from the BAU scenario can offer a concrete base for discussion.

Discussing the scenarios goes hand in hand with developing a common vision and objectives. Scenarios and visions are strongly related, and the sequence of developing them can vary between cities or even run in parallel. After about two rounds of discussion, to possibly adjust the scenario and then review the updated evaluation, the Steering Committee shall be able to select a scenario. It may be one proposed scenario or a combination of different scenarios.



# Step 5: Develop vision and objectives with stakeholders

What kind of city do we want to live in? How will it differ from other cities? These are the central questions that need to be answered by a visioning exercise.



#### Co-create a common vision

A vision is a qualitative description of the city's desired future and mobility that guides the development of objectives, strategic indicators and targets and the selection of suitable measures throughout the SUMP process. It is build-upon the preferred scenario and is usually based on the long-term horizon.

In particular, the vision shall inform about:

- The story of the city development, giving narrative and consistency to the "pathway to the future". A story is something people can easily adopt and believe in. As it will be later published, it is important to highlight aspects of the vision that echo public concerns. From that perspective, **make sure to connect local issues and population concerns with sustainable goals when developing the vision**.
- The level of ambition for the SUMP, with some emblematic measures and global objectives yet formalised, that reflect outstanding and/or symbolic aspects of the policy envisioned. Typically, the creation of a pedestrian area, major infrastructure developments or measures that specifically target minorities or vulnerable groups can be outlined.

## **BOX 16** Integrating the demands of civil society and the SUMP objectives, the example of Yaoundé, Cameroon



Air quality week in Yaoundé, Cameroon

In Yaoundé, a mobility plan was first issued in 2011 to smoothen the traffic with no perspective regarding GHG emissions or air quality. The civil society was mainly concerned about the traffic conditions and the possibility of increasing the transport infrastructure capacity. Indeed, sustainable mobility concepts had not been introduced before the elaboration of the SUMP in 2018. Consequently, the SUMP's objectives were perceived as somewhat disconnected from reality or even counterproductive when discussing reserving an exclusive bus lane for a Bus-Rapid-Transit system.

To trigger a change of mindset and favour the buy-in from the population, an air quality week was organised, during which air quality measures per district collected over one year were displayed in public places, with doctors explaining related health problems. The event contributed to public acceptance and larger political support afterwards.

# Agree on objectives addressing key problems and all modes

The objectives specify the final aims of the SUMP and often refer to the intended social, environmental, or economic improvements. Objectives are also likely to reflect mobility issues resulting from the current situation analysis and should be delivered in a way that makes the SUMP's overall structure more meaningful.

**Reduce and rationalise the** use of car Provide accessibility to the Facilitate mobility system and metropolitan metropolitan trips opportunities to all citizens Make walking and cycling safe and attractive **Provide high-quality** Enhance mobility within districts and efficient public thanks to a meshed network transports Adapt the organizational and financial Value the natural assets and frameworks to implement a metropolitan improve the quality of the sustainable mobility system urban environment

Figure 37. Examples of SUMP objectives

#### Set objectives that are aligned with both sustainable mobility values and local concerns.

As for the vision, the objectives should be easily appropriated by the public and decision-makers, and therefore be suitable for public communication. Aligning one's objectives to those of external funding bodies is also a way to make the measures included in the Sustainable Urban Mobility Plan attractive for funding. For example, national environmental agencies may be willing to fund measures if a strong focus is placed on energy savings or the reduction of greenhouse gas emissions.





#### Figure 38. Challenges and SUMP main objectives

Source: SUMP of Lviv



#### Step 6: Set indicators and targets

Step 6 – Develop vision and objectives with stakeholders					
Synopsis of activities					
Co-create a common vision					
Agree objectives				Presentation of the mobility vision and objectives	
Set indicators and target	Identify SMART indicators	Agree realis	tic target		
Tools	Methods		Outputs		
Demand forecast model <u>MobiliseYourCity GHG Emissions</u> <u>Calculator</u>	MobiliseYourCity Co and Monitoring Fran		for the mo	ategic indicators that allow onitoring of progress made ne achievement of each of ives	

Two types of indicators can be distinguished:

• SUMP indicators are meant to assess the SUMP objectives. They should include - but not be limited to - the MobiliseYourCity core indicators, as well as communication indicators. These indicators should be easy to understand and interesting for a wider public (e.g., the number of people seriously injured or killed in traffic; number of locations exceeding air pollution limits; or jobs created). SUMP indicators are generally focused on impacts (also called outcome indicators) that directly measure the achievement of sustainability objectives. They are also likely to be computed based on a household survey, to be realised every ten years or so.




Figure 39. MobiliseYourCity core indicators

 Measures' indicators are defined for each action or measure later on (see chapter <u>"Plan measure</u> <u>monitoring and evaluation</u>"). They can fall into three categories: output, outcome, and impact, as detailed below. In particular, they should cover rough cost estimate for mass transit investments in the long-term.

Output	Outcome	Impact
Km of sidewalk, km of cycle	Raise of the demand for bike,	GHG emissions cut,
lanes built or improved,	modal shift to the public	proportion of the population
number of city center parking	transports, share of woman	with convenient access to
spaces, amount of mobilised	among transport sector	public transports, death rate
public or private funding	labour	due to road traffic injuries
Measure	Measure the direct	Measure the global
the implementation	consequences of an	impact induced by an
progress of an action	action	action's results

Figure 40. Output, outcome and impact indicators

In general, it is preferable to use standard indicators that are already well defined and have existing knowledge on measuring and analysing them.

"Target" here refers to the actual value set for each SUMP indicator. It can result from demand modelling or a raw estimate, depending on the goal set for the demand forecast model. Indeed, the demand model may well assess the demand response to a transport supply scenario, in a given socio-economic and urban context. However, its predictive power may be limited when it comes to more structural or political measures. These limits shall be assumed, and related targets are therefore set upon expert judgement.

After the vision, objectives and targets are defined, the vision shall be published in a format that is easy to understand and use visualisations to communicate it.






Figure 41. GHG emissions calculation method (ASIF) Source: MobiliseYourCity

#### **BOX 17** Estimating GHG emissions reductions

The MobiliseYourCity approach to monitoring and reporting proposes to estimate transport related GHG emissions ( $CO_2$ ,  $CH_4$  and  $N_2O$ ) and other impacts at the city level rather than per measure. The SUMPs form packages of measures that interact with each other and consequently have a bigger impact on emissions than the sum of single measures. Therefore, SUMP practitioners must account for transport GHG emissions for their territory, i.e., direct emissions from mobile sources (tank-to-wheel) – cars, motorbikes, trucks, and buses.

These calculations can be based on the household surveys that reflect the "transport activity" of inhabitants (inhabitantscentered approach), as well as its "structure" (see figure above). However, this may seem restrictive in contexts where important flows are attracted from remote areas. The latter point should be assessed in Step 2, Determine planning framework or Step 3, Analyse mobility situation. Complementary data sources may be identified to compensate for this bias, thus adopting an origindestination or territory-centered approach<sup>15</sup>.

As for "Intensity" and "Fuel" (e.g., energy consumption and carbon content), the values for the parameters should be adapted to city-specific circumstances to calculate local transport GHG emission inventories, as far as possible. National default factors or even IPCC default values can be used if local statistics do not enable a more accurate estimation. Transport modes considered should be adapted to the available data and modelling demand. Ideally, all transport modes are distinctly integrated.


Estimations can be carried out using MobiliseYourCity's Monitoring and Reporting Approach GHG Emissions.

Monitoring air pollutant emissions – PM10, NOX, SO2 - is not mandatory for MobiliseYourCity reporting. However, cities interested in monitoring transport-related air quality can use the data on transport-related GHG emissions as a first step toward calculating local air pollutants. Air pollution assessments essentially follow the same methodology but require more disaggregated data on vehicle fleets than the bottom-up calculation of GHG emissions.

<sup>15</sup> Energy sales provide another proxy that is generally preferred for national inventory.

# 3 Phase 3: Measure planning

# Step 7: Select measure packages with stakeholders



With the third phase, the planning process moves from the strategic to the operational level. In particular, the development of effective measure packages is at the core of Sustainable Urban Mobility Planning. They should build on discussions with key stakeholders and consider experiences from other places with similar contexts.

#### Define integrated measure packages

A measure is a broad action implemented to achieve one or more policy objectives in a SUMP or to overcome one or more identified problems. Examples range from land use, infrastructure, regulation, management, and service measures to behavioural information provision and pricing measures.

A measure package combines different measures to contribute more effectively to the objectives and to increase their acceptability. A way to proceed is to think about what can be proposed for each SUMP objectives according to the different types of measures that can be contemplated (see classification below). Other frameworks can be used as a control to see if a city identifies all relevant areas to address a certain challenge.





Figure 42. Types of sustainable mobility measures

To proceed with the elaboration of these measure packages, one should:

- Consider measures that have been previously planned or considered and challenge them against the vision, objectives and targets set for the city.
- Identify a wide variety of measure options that would contribute to this same vision, objectives, and targets.
- Learn from experienced cities and practitioners to consider all relevant options and, get inspired from other cities worldwide. To this end, one can use benchmarking or invite practitioners from other places to the city for advice.





## **BOX 18** About benchmarking, or how to address the "it is not gonna work there" argument

Benchmarking aims at generating awareness and increasing acceptance of new ideas, not as a solution but as an inspiration, shedding light on other ways to handle a situation and thus favouring out-of-the-box thinking. Although it is a very common exercise, easily solicited, results often happen to be deceptive or too far from the reality encountered locally.

Here are some tips for conducting a successful benchmarking:

- **Precisely define the focus and objectives.** Benchmarking on sustainable mobility measures without specifying goals or criteria will bring disappointing results. However, benchmarking the solutions implemented to address a specific issue, or the options for implementing a particular solution can help to appreciate the range of possible areas, jointly with pros & cons.
- Use it in a timely manner. Benchmarking should not be developed too early, but after the diagnosis, so it can be related to specific findings. Thus, benchmarking can support Phase 2 (Vision, goal setting and scenario building) and 3 (Measure planning), enriching the pool of levers or measures to be considered.
- Value concrete results or feedback experience. Experiences shall be described in operational terms, for the benchmarking to be worthwhile: how complex is it to design and implement, what are the potential risks, how can they be mitigated, etc. Outcomes and/or impacts that have been achieved should also be highlighted: modal shift, cost savings, GHG emissions cutting, etc.
- National examples should be considered first. More generally, carefully chosen, south-to-south experiences should be preferred, although the relevant scope for study cases should be agreed upon with final users.

Although foreign examples cannot be simply replicated, it is all about being able to adopt new ideas, learning from and adapting them to the local context. New concepts often bring sceptical reactions that can be managed with pilot or small-scale experimentations.

Measures shall then be described to specify objectives, related actions or activities, governance, costs, funding and financing mechanisms, priority or level of impact, timing, public engagement requirements, anticipated impacts, potential risks, conditions for implementation and monitoring, etc.

The overall consistency of the proposed measures can be assessed against certain priorities, as reflected by the EASI conceptual framework. Indeed, some basic measures may stand out as pre-requisites to be considered top priorities, although they can seem difficult to implement or not so visible to the public at first sight: institutional reforms, capacity strengthening, adaptation of the regulatory or fiscal framework, etc. They are still determinants over the long-term and should bring more structural and significant impacts.



Enable	Avoid	Shift	Improve
Establish an effective and responsible governance system with adequate institutions, human resources and financing	Minimise the need for individual motorised journeys through appropriate land-use, transport planning and management	Maintain or increase the modal shares of more socially and environmentally sustainable modes, e.g. public transports and non-motorised transports	Improve the efficiency and safety of transport modes and services while minimising their environmental footprint
Governance efficiency	Land use efficiency	Multimodal transport system efficiency	Road space use and vehicle efficiency

Figure 44. EASI conceptual framework

#### Assess measures

To achieve a set of effective measures that realistically fit with the available resources and local conditions, a transparent assessment should be conducted that is guided by effectiveness in terms of contribution to objectives, acceptability and value for money. Especially in tight budgets for urban transport and mobility, it is crucial to get the most impact possible for the resources spent.

Different approaches can be simultaneously considered:

- Effectiveness for example, through forecasting modal share or changes in ridership, estimation of GHG emissions reduction, expert rating, and benchmarking.
- Acceptability through consultations with stakeholders and the public. Co-identify measures with key stakeholders, involving them closely in option generation and appraisal. Ask the public for measure ideas or options, typically suitable places for micro interventions, adequate lay-out for public spaces, etc.
- Value for money can be assessed by relating effectiveness criteria to CAPEX and OPEX Cost-Benefit Analysis (CBA) is a common tool for assessing cost-effectiveness of development projects.
- **CAPEX (raw estimate)** although value for money is preferable for the selection of measures. CAPEX is needed to ensure that the list of contemplated measures is in line with overall financial capacities.

The list of measures may be adjusted according to the assessment results. As a golden rule, measures are meant to be operational, feasible, sustainable, or likely to be funded. Thus, **the action plan shall be tailored to funding capacities.** The chapter <u>"Develop a financial plan"</u> details the different steps to develop a financial plan.

#### Political validation of measure packages

Discuss the selected measure packages with stakeholders and involve them in the selection process, especially in prioritisation and preparation of implementation setup. Indeed, it should be clear to key stakeholders how they will be involved in each measure package (role, responsibilities, funding, timeline) and acknowledge how they can integrate positive impacts (through indicators) in their local marketing promotion actions. This validation should be conducted primarily through the SUMP steering committee.

# Step 8: Agree on actions and responsibilities



#### Consolidate and finalise the actions

Assess the shortlisted actions against their costs and revenues in the short, medium, and long-term, including operation, enforcement, and maintenance, and identify any funding shortfalls (total cost of ownership). Practically prepare detailed cost estimates for all relevant categories: CAPEX, OPEX, consultancy, administrative personnel, etc. Provisions can be considered for institutional development/ capacity building, stakeholder engagement and communications, equipment, and materials, among others.

Focusing on required human resources to implement, supervise and monitor all the measures can help ensure that the incremental administrative cost induced by the SUMP implementation is well reflected in staffing and personnel decisions and budgeting.

	1ATION OF THE I I : DEVELOPMEN		OLAMA RIVERS ON OF A GREEN NETWORK	Action 2.3.
Context				Responsible actor • Municipalities
<ul> <li>Planned im involves th</li> </ul>	plementation of a lor	igitudinal park Pas ational promenade	t is highly polluted and vulnerable to flood risk. eo del rio, as part of the Domingo Savio project, which on the banks of the Ozama River, between the Juan z Bridge.	Partners • INTRANT Funding
Objectives				<ul><li>Municipalities</li><li>MOPC</li></ul>
• Provide hig	0	es to encourage par	Municipalities surrounded by the river. radigm shift and more sustainable behaviours. Ig the river.	Level of impact Environmental Social
Principle of a	Principle of action			
the Paseo of . As part of .	del Rio initiative. This this scheme, study the	intervention is part e re-adaptation of t	rban promenades along the river, in order to generalise of the Domingo Savio project. he Malecon, possibly as a final step after temporary sible planning or tactical urbanism of non-motorised	
Modalities				
obstacles a power lines	and the feasibility of n s placed on pavement	noving them (cost- s.	the feasibility of the cycling network considering the benefit analysis), typically the bases of high voltage ts and targeted pedestrianisation.	
Amount of investment	Final deadline 2021 2023 2025	Perimeter • DN • SDO • LA • SDN	Type of action <ul> <li>Infrastructure</li> </ul>	

# 

#### Measure E1 – Road maintenance

#### Key characteristics:

- Have a precise monitoring of the needs via a feedback from the different boroughs and a specific and recurrent campaign organised by the Yaoundé Urban Community (at least once per year)
- Have a plan identifying the various problematic sectors
- Prioritise the work: priority on the main roads and those with the highest traffic
- Coordination between the various actors (local and national)

#### Key objectives to be achieved:

#### Improve traffic conditions:

- Prioritise the road network
- X Manage the road network
- Improve traffic flow by providing homogeneous traffic conditions without holes in the road

#### Develop different transport offers

- Supervise the actors offering a travel service
- 🛛 Make transport services reliable by ensuring a "smooth" flow of traffic on the different road sections
- Ensure a certain equity in accessibility to mobility both spatially and economically, especially for new districts

#### Improve quality of life in the city

- □ Support urban development
- X Make travel safer, particularly for active modes and vulnerable people
- 🗵 Improve air quality by reducing the emission of fine particles and greenhouse gases, as well as dust from the road

#### Horizon of study and/or realization:

- Ongoing
- Costs: 12.5 million euros per year, including about 0.8 million for the campaign and the monitoring unit or 8 billion CFA per year
- Implementation methods and stakeholders: monitoring by the Yaoundé Urban Community transport and traffic department (one person dedicated to the task), partly on the basis of requests from the district municipalities, of an annual campaign and possibly of the ministry of transport and the inhabitants, as well as coordination of the work on the various roads with the various stakeholders (ministries and network concessionaires). A coordination unit is therefore needed at the Yaoundé Urban Community.
- Implementation risks or constraints: the available budget must be used for the project



#### Proposal P2: Improve connectivity between the University Hospital of Guadalajara and the City of Guadalajara

#### Objective

Increase walking

#### Strategy

Promote external connections to the centre of Guadalajara on foot

#### Description

#### P 2.1:

Incorporation of road safety improvement elements at the pedestrian crossings located east of the Glorieta de Cuatro caminos and at the connection with the Ferial Plaza area, as well as the reduction of one traffic lane on the section connecting Donantes de Sangre with San Agustín.

#### Phase 1 P 2.2:

Integral reform of the Cuatro Caminos roundabout. Carrying out of the study and project (Phase 2). Construction of the reform (Phase 3). Incorporation of road safety improvement elements at the pedestrian crossings located east of the Glorieta de Cuatro caminos and at the connection with the Ferial Plaza area, as well as the reduction of one traffic lane on the section connecting Donantes de Sangre with San Agustín.

#### Cost/benefit analysis

Guadalajara Hospital attracts more than 4,000 trips daily from residents, the majority of which are made by private vehicle. Due to the reduced distance to the city centre, the proposal substantially improves the accessibility conditions on foot, both current and potential. On the other hand, the social benefit of improved road safety along this route should be noted.

Environmentally, the benefits will be achieved if a modal shift in access to the hospital is achieved, a fact to which this proposal contributes favourably, as safe routes are always more widely used.

Another environmental benefit will come from the penalty imposed on private vehicles at this point on the road, which will undoubtedly lead to a reduction in their use.

Finally, the economic cost is low and, taking into account the improvement in pedestrian safety on this interurban route, the benefit is very high.

Reference figure	Actors involved
7.1.	Guadalajara City Council, Ministry of Development
Cost	Phase
68.631 €	1, 2 and 3
Possible sources of funding	

Guadalajara City Council, Ministry of Development

Progress indicator

#### Figure 45. Action sheets from various SUMPs

Source, from left to right: Santo Domingo, Yaoundé, Guadalajara




Figure 46. Guidance for developing a SUMP taskforce Source: SUMP of Dire Dawa

#### Develop a financial plan

A thorough financing plan is needed to ensure that the previously identified measures and actions are economically sound and financially viable. It starts with identifying all available funding and financing streams and assessing the ability of the organisations involved in the SUMP to access and mobilise them.

Guiding questions to be addressed are:

- Which balance is to be pursued between financing and funding sources (e.g. public authorities, direct beneficiaries or users of urban transport services and infrastructure, indirect beneficiaries)?
- Which level of service is targeted?
- How are the resources allocated to the different modes and services, and is that distribution aligned with the strategic orientations of the SUMP? Is it fair considering the modes to be promoted and generated externalities of each mode and service?

It is worth noting that there is no rule regarding the contribution of each potential source, although a global trend can be observed where the share of direct and indirect beneficiaries is increasing in relation to public funds (the so-called 'user-pays' logic). The identification of potential sources should be evaluated against their potential mobilisation according to the implementation plan of the SUMP.

The financial plan should cover at the minimum operational expenditures. This requirement, in conjunction with value for money and other objectives and targets (e.g. coverage of the public transport network, time savings, etc.), should be taken into account when assessing the following:

- The transport modes considered
- The level of competition between foreseen services
- The fare policy assumed
- Alternative sources of revenues






Figure 47. Process to estimate cost of measures and develop financial plan

Next to available sources (local budgets and taxes, national subsidies, international grants or donations) and existing revenue streams (from ticket sales, parking fees, and other areas), new sources of funding can be considered, such as bonds, land-value capture, development charges, and the private sector. The following figures provide guidance for enlarging the scope of potential financing and funding sources for large investments or feasibility and market studies.




Figure 48. Funding and financing sources Source: AFD; CODATU, Who pays what in urban transport?


#### Local sources

- Financial actors: Who are the main financial actors in the sector today? What is the role of commercial banks and development banks?
- **Investments:** How are urban mobility related investments financed today? How are investment decisions taken? Do investors have adequate access to finance?
- **Public funding:** Is local public funding available? Do local actors have the required capacities to access national funds and international loans if available?
- Public transport fare revenues: what is the coverage ratio, e.g. the share of operating charges covered farebox revenue? How likely are revenues to evolve, according to the existing fare policy? Are there levers to increase fare revenues while ensuring affordability for all citizens and groups?
- Private sector: What role does the private sector play today? Could its role be strengthened? Are there public-private partnership mechanisms in place?

#### National sources

- Business environment and investment climate: How developed and robust are financial markets? What is the tax regime? How much regulatory and political stability is there? How well are contracts with public and private sector actors enforced? How easy is it to start, operate and close a business, including licensing and regulation?
- National public funding: How much of the national public budget does the sector receive today? How is funding allocated? What public funding and financing mechanisms are in place (e.g. fiscal and/or subsidy mechanisms) to transfer funding from the national to the sub-national levels?
- International/donor funding: Who are the main donors in the sector? Which additional donors may be interested in supporting the sector?





**Seek national and international support to increase your funding capacities.** National government and domestic funds can both support the implementation of the SUMP.

Figure 49. Typical elements of national government support

MobiliseYourCity, National Urban Mobility Plan Guidelines

The SUMP is an important and effective instrument to leverage funding from international sources, including loans and grants. It can also be useful when asking for support from the central government.

The financing plan should be reviewed according to the following criteria:

- Programming period, to ensure that the intensity of investment is manageable. From that perspective, measures to generate revenues may be integrated in the first years of implementation to anticipate future investments. These measures may include<sup>16</sup>:
  - » Parking fees
  - » Taxes on fuel or private vehicle, urban toll
  - » Taxes on payroll, contribution to transport pass
  - » Land value capture
  - » Public properties development and renting
  - » Advertisement space, especially from public transport infrastructure and vehicles
- Objectives ensure that the action plan is balanced and aligned with the level of ambition assigned to each objective.
- Key topics of sustainable mobility to verify that significant amounts are allocated to walking, to other active modes such as cycling, to gender-related measures, to road safety, etc.

<sup>16</sup> Many of the proposed measures require strong coordination and support from the national government. Indeed, fiscal framework is often managed at national level.

**Consider affordability as an objective while evaluating the financial viability of the SUMP.** Introducing integrated fares and/or social fares is likely to impact not only governance and technical instruments, but also the level of required subsidy from the public sector. Offering affordable fares should then be evaluated as part of the financial plan, to possibly allow for measures retrofit (e.g. suit the measures to fit the budget).

#### Plan measure monitoring and evaluation

Define a set of indicators that allow monitoring and evaluation of all main measures with reasonable effort.

#### Formulate SMART indicators that can support decision-making and adjustments to the SUMP during implementation:

- S for Specific- meaning clearly defined
- M for Measurable –by a suitable proxy measure
- A for Achievable meaning Controllable do not change with extraneous influences
- R for relevant, meaning at the same time: Cost effective The benefits of collecting the data are sufficiently high to justify the cost of collection relative to alternative solutions, and Easy to understand The indicator should be examined to ensure that it is presenting simple information. High degrees of information aggregation can reduce an indicator's comprehensibility and increase the risk of double-counting hidden elements of that indicator.
- T for Time bound, the indicator should be responsive likely to respond in the short-term to policy changes



#### BOX 19 How the SUMP impacts the ability to leverage funds, the examples of Dominican and Cameroonian SUMPs

A SUMP integrates the ambition of the city, technical arguments, funding sources, GHG emissions reductions and expected level of impact that supports the sustainable development of a city's mobility system. Moreover, it provides a long-term vision, that is likely to remain as a reference, even if alternative projects emerge. All these are valuable features for International Financial Institutions (IFIs) that are increasingly integrating sustainability criteria in their investment decisions. After the SUMPs of Yaoundé and Douala were approved, both cities were approached by financial partners from the private sector and IFIs previously involved with the national government, with proposals for funding conditioned by a contribution from the State. In Santo Domingo, the SUMP facilitated the mobilisation of significant resources from three new funding partners for its implementation. In practice, this task shall lead to:

- The build-up of data index, developing a clear definition for each indicator, reporting format, how the data is measured, how the indicator is calculated and how often it should be updated.
- The establishment of baseline values, i.e., a starting value and a target value of desired change, as forecasted under the adopted vision.

#### Make monitoring and evaluation arrangements an integral part of the action plan.

Ref. Element No.	Ref.	ef.		Contribution Towards SUMP Objectives			
	Indicator Name	Network Efficiency	Accessibility	Safety	Environment	Duality of life	
	1	Road Traffic Kilometres	<ul> <li>✓</li> </ul>			$\checkmark$	8
Transport	2 Roa	d Traffic Flows into the CDB/City Centre and Level of Transit Traffic	$\checkmark$		$\checkmark$	$\checkmark$	
System	3	Proportion of journeys to work by public transport		$\checkmark$			
	4	Increase in Total Number of Public Transport Trips		~			
Travel	5	Average journey time per kilometre in the morning peak	~			~	
Times	6	Public transport services running on time and public transport services suffering from congestion	~			~	~
Road	7	Road Traffic Casualties (Fatalities and Injuries) and Fatalities per capita (100,000 population)			~		~
Safety	8	Road Traffic Accidents involving Pedestrians and Cyclists			~		~
	9	Speed Monitoring Relative to Legal Limit			~		~

#### Table 13. Monitoring indicators (extract)

Source: SUMP of Pristina

Ensure technical capacities and availability of resources to compute indicators on a regular basis. Assess related survey needs and costs and agree on suitable monitoring arrangements (including responsibilities and budget) accordingly.

#### Agree on priorities, responsibilities, and timeline

Once the action plan has matured, consolidate operational aspects jointly with stakeholders. It should include priorities, timing, responsibilities, budgets and funding sources, risks, and contingencies.

As for timing:

Identify priorities and links between actions and verify that the timing proposed for measures is the best
order of implementation. By doing so, check that actions are scheduled according to capacities, in terms
of organisation, human resources and technical qualifications. Thus, actions related to governance
and capacity building should be carefully considered as they are pre-requisites for many other actions.
Same goes for paratransit structuring, which should be conducted prior to the development of publicly
organised urban services. As for the workforce, a maximum number of actions or projects per project
manager shall be considered.




Figure 50. Priority assessment chart Source: SUMP of Lviv

- Ensure that investment volumes per planning period short, mid, and long-term are manageable, according to forecasted financing capacities.
- Focus on the next two-three years in the detailed planning, roughly plan for the whole implementation period (15-20 years) and be aware of pre-conditions for measures launched in the long-term.
- Consider reviewing and updating the SUMP every 10 years or so. After 10 years, initial assumptions or conditions are usually outdated. Strategic measures and policies should therefore be reviewed on a regular basis, which can yet be integrated into the general planning.

Ten years is also the timeframe generally considered to update the household survey, which is the backbone of the SUMP design, evaluation, and adaptation. However, alternative protocols that allow for tighter monitoring can be contemplated (see the box below).

As for responsibilities:

- Formalise the responsibilities of all actors and the resource contributions with the respective partners, considering their abilities, strengths, and competencies.
- Discuss the proposed actions and their priorities with the stakeholders who could play a role in financing, designing and implementing them. Achieve a formal agreement on responsibilities and timelines among decision-makers and key stakeholders.



### **BOX 20** Managing the cost and complexity of a household survey, the example of Santo Domingo, Dominican Republic

As previously outlined, most SUMP indicators rely on the results of the household survey. However, this type of survey is generally contemplated for a decade, due to its complexity and implementation cost.

Within the framework of the Dominican mobility observatory, it has been proposed to add an intermediate evaluation milestone, based on a "light" household survey, to update some indicators, for vehicle/kilometre by mode and type of vehicle (GHG emissions, air quality indicators, average time and budget dedicated to mobility daily). Due to the characteristics of the same variable, a limited sample can be considered while the general method remains the same (zoning, choice of households, survey of movements the previous day, etc.). Costs and delays are therefore significantly reduced.



# Step 9: Prepare for adoption and financing

Step 9 – Prepare for adoption and financing				
Synopsis of activities				
Assure the quality of the SUMP document	Ensure wide political and public support	Formal adoption of the SUMP		
Tools	Methods	Outputs		
MobiliseYourCity Annotated Outline for Sustainable Urban Mobility Plans	SUMP Institutional Cooperation Kit     Good practice in stakeholder     engagement	Sustainable Urban Mobility Plan		


#### Assure the quality of the SUMP document

The final document to be shared, published, and formally adopted is a synthesis of the entire process, from Phase 1 to Phase 3, highlighting methodological key points and main findings. The model provided by MobiliseYourCity (e.g., <u>Annotated Outline for Sustainable Urban Mobility Plans part of the MobiliseYourCity</u> <u>SUMP toolkit</u>) can guide the finalisation of the SUMP document. While working on this document, pay attention to:

- Check if views and results of the involvement process with stakeholders and citizens are integrated and properly outlined in the whole document.
- The final document aims to be accessible for decision-makers, and more generally the public with limited knowledge of technical matters, therefore the language should be reviewed accordingly. Including external reviewers may help to proofread and quality check the document.

Among key features, the final SUMP documents should present the following basic elements.





Source: Annotated Outline for Sustainable Urban Mobility Plans



Items	Examples				
	Ministry	Responsibility			
	State Ministry of Transportation	Develop and propagate transport policies and fund infrastructure improvements towards an integrated multi-modal transport system			
	State Ministry of Physical Planning & Urban Development	Develop building control rules and planning regulations			
	State Ministry of Work & Infrastructure	Design, construct, and maintain the state road network			
Presentation of institutional	Federal Road Safety Corps (Lagos Sector Command)	Enforce traffic rules, educate street users, and advise relevant state agencies where improvements are required to improve safety			
and regulatory aspects	Lagos Metropolitan Area Transport Authority (LAMATA)	Plan, design, construct, maintain, and oversee the public transport system and declared (strategic) road network			
	Lagos State Physical Planning Permit Authority	Issuance of building construction permits			
	Lagos State Building Control Agency	Enforcement of building control regulations			
	Lagos State Urban Renewal Agency	Planning and design of urban renewal areas			
	Lagos State Traffic Management Authority (LASTMA)	Regulate, control, and manage traffic operations			

Source: Lagos (Nigeria) Non-Motorised Transport Policy

Project/activity	Implementation period	Responsibility	Funding source	Cost
Extension of the bicycle network	2014-2017	City of	Municipal budget and national funding	100.000\$

#### Presentation of projects in the past five years


Presentation of projects in the past five years and of the planned projects


Presenta	tion of	planned	projects	(2-5 years)	

Project/activity	Implementation period	Responsibility	Funding source	Cost

Source: Annotated Outline for Sustainable Urban Mobility Plans


108





Source: Windhoek SUMP





Walking	12%	Poor	Many accidents on road crossings near schools	Less and less pupils walking to school	Some areas lack walkable access to parks and sports facilities	Low activity. New "walk to school" campaign	Traffic safety measures are needed
Cycling	7%						
Public transport (bus, tram, metro, train etc.)		Good	Some bus stops need repair	New bus fleet has been installed, decreased impact on air quality	Reduced fare for unemployed but infrequent buses to poor outskirts	High activity, public transport strategy planned	
Vehicle sharing (car, bicycle, e-scooter, etc.)							
Private motorised transport (car, motorcycle etc.)							
Multimodality (train, station, interchanges)	n/a						
Freight	n/a						
ANALYSIS			Traffic safety needs to be prioritised				

Source: Annotated Outline for Sustainable Urban Mobility Plans

h

Items	Examples	
	MobiliseYourCity's SUMP Core Indicators	Baseline
	Access to public transport (in %) Proportion of the population living within 500 meters or less of a public transport stop with a minimum 20 minutes service at peak hour, or have access to a shared mobility system with comparable service for money	%
	Air pollution Mean urban air pollution of particulate matter (in mg PM2.5) at road-based monitoring stations	mg PM2.5
	Road safety Fatalities by all transport accidents in the urban area on a yearly basis. As defined by the WHO, a death counts as related to a traffic accident if it occurs within 30 days after the accident.	Pers. (in thousands)
	Modal split Share of public and non-motorised transport of total urban transport (in pkm-not trip)	%
MobiliseYourCity SUMP Core Indicators	6HG emissions from transport (tonnes CO2 (eq.)/cap.per year) Well-to-wheel GHG emissions by all urban area passenger and freight transport modes	MtCO2e per year
	Additional Indicators	Baseline
	Commercial speed Average speed of a mode of transport between the two terminals, including all operational stops	km/h
	Mobilised public and private funding	
	Others (city specific)	

Source: Annotated Outline for Sustainable Urban Mobility Plans

	Indicators	Baseline	Business as Usual 2030 (2040/2050)	Target 2030 (2040/2050)
	Access to public transport Proportion of the population living within 500 meters or less of public transport stop with a minimum of 20 minutes services at peak hour, or have access to a shared mobility system with comparable service for money	%	96	%
SUMP strategic	Air pollution Mean urban air pollution of particulate matter (in mg PM2.5) at road-based monitoring stations	mg PM2.5	mg PM2.5	mg PM2.5
indicators and targets	Road safety Fatalities by all transport accidents in the urban area on a yearly basis. As defined by the WHO, a death counts as related to a traffic accident if it occurs within 30 days after the accidents	Pers. (in thousands)	Pers. (in thousands)	Pers. (in thousands)
	Modal split Share of public and non-motorised transport of total urban transport (in pkm -not trip)	%	%	%
	GHG emissions from transport (tonnes CO2 (eq.)/cap. Per year) Well-to-wheel GHG emissions by all urban area passenger and freight transport modes	MtCO2e per year	MtCO2e per year	MtCO2e per year

	Measure	Description of					Examples										
		measure	Connection to SUMP targets	Actions within a measure	Implementation period	Resources needed	Costs	Funding source	Stakeholder involved								
			Very high (improve	Analysis of bicycle lanes needed	Year 1: Jan- May	2 traffic and city planners	30.000 \$ + 20% of full- time from traffic planner	Municipal budget	Bicycle association								
escription f selected neasures nd measure ackages in an ction table	Segregated cycle facilities	Marked lanes and tracks along major urban streets	(improve accessibility, increase road safety, promote active travel, reduce air and noise pollution)	Develop a bicycle network plan	Year 1: May- Dec	4 traffic and city planners	40.000\$	Municipal budget	Bicycle associations neighbourin municipalitie								
				Plan and construct bicycle lanes	Year 2-5	Planners, developers	500\$/m	Municipal budget + national funding	Constructio companies								
	Develop mobility management plan																
	Source: Annotate	d Outline for Sus															
	Mea	sure		ns within a leasure	Implem	entation	period	Costs									
			Analysis of I	bicycle lanes	Year 1: Ja	n- May		0.000\$ + 20% o om traffic plann									

Estimation of costs per measure

	Analysis of bicycle lanes	Year 1: Jan- May	30.000\$ + 20% of from traffic planner
Segregated Cycle Facilities	Develop a bicycle network plan	Year 1: May-Dec	40.000\$
	Plan and construct bicycle lanes	Year 2-5	500\$/m
Rapid Bus Transit			

Source: Annotated Outline for Sustainable Urban Mobility Plans



Items	Examples						
	1.3 Action B: Improving accessibility to the Andrés García Soler School						
	1. Measure     1.3. Ensuring and improving accessibility conditions						
	2. Objective and justification						
	In the western part of the city, where the topography of the surrounding mountains gives the city its natural edge, there ar several important facilities, some of which are particularly sensitive, such as schools, which generally do not have adequat accessibility conditions. The objective of this action would be to improve the accessibility conditions in particular of the Andrés García Soler school located next to the proposed basic pedestrian network and which currently has its direct access to a rather dangerous traffic roundabout, without a pedestrian area suitable for the entry and exit of children. <b>3. Description of the action</b>						
easure scription	It is proposed to create pavements that comply with the "Basic pedestrian network" and to create a single raised cobled platform with pedestrian priority all around the access, with traffic calming devices such as speed limit and pedestrian priority signage, or as speed reduction buffer strips.						
	Example of improved access to the Andrés Garcia Soler school as seen from the basic pedestrian network						
	4. Economic, social and environmental viability						
	The investment required for this action is modest for the benefits it brings, both in terms of comfort and safety for the teaching community, children, teachers and parents. It can be considered as a pilot action that can be transferred to other schools.						

5. Budget	10. Deadlines (degree of implementation)							
25.000 €	2017	2018	2019	2020	2021	2022	2023	2024
	-	100%	-	-	-	-	-	-

Source: PMUS Lorca. Plan de Movilidad Urbana Sostenible, 2017



resentation costs and hancing for every easure easure 1 (back of the last 1 (back of the last) 1 (back of the last 1 (back of the last) 1 (back of the	atom of the contents of the dontest of Plane, Castina, twentalis, sil doubles and terretoryses. Development Plan of the Arus Extent Entering sustainable mobility guidelines in Development Plan of the Yearbalds de Ondree dotted following sustainable Development Plan of the Castina dotted futures guiderinade mobility guidelines and Development Plan of the Castina dotted futures guiderinade mobility guidelines and Development Plan of the Castina dotted futures guiderinade mobility guidelines and Development Plan of the Castina dotted futures guiderinade mobility Development Plan of the Eakland dotted under a sustainable mobility approach. Development Plan of Eakland dotted under a sustainable mobility approach. Development Plan of the Eakland dotted under a sustainable mobility approach. Development Plan of the Eakland dotted under the approach of undersaftel mobility aberlapment Plan of the Eakland dotted under the approach of undersaftel mobility aberlapment Plan of the Eakland dotted under the approach of undersaftel mobility aberlapment Plan of the Eakland dotted under the approach of undersaftel mobility aberlapment Plane of the Instaina dotted under the approach of undersaftel mobility aberlapment Plane of the Instaina dotted under the approach of undersaftel planerogi area of 82 besteams with 944 km in the context of Plane and approaches authories, and not chall area of Castina. Eakland and approaches and probase and theoles Alta Streeks.	Timetine Burt term Durt te	Priority           Right           Right	Scope M Pura Pura Ventodes de extultor Castria		Mathematical state         Mathema		
resentation costs and hancing for every easure easure 1 (back of the last 1 (back of the last) 1 (back of the last 1 (back of the last) 1 (back of the	Development Plan of the Func above thatiseing sustainable mobility guidelines on Development Plan of the Yaveholas do Dobber dated holineing sustainable Development Plan of the Yaveholas do Dobber subtancts mobility guideline an Development Plan of the Catalas dobter thiseing sustainable mobility Development Plan of the Catalas dobter thiseing sustainable mobility previous Plan of the Catalas dobter thiseing sustainable mobility gupmach. Development Plan of the Catalas dobter under a sustainable mobility gupmach. Development Plan of the Takelo dobter under a sustainable mobility gupmach. Development Plan of the Takelo dobter under a sustainable mobility gupmach. Development Plan of the Takelo dobter under the gaprach of sustainable mobility gupmach of Lorenz dobter under the gaprach of sustainable beforgenes. Plan di al compatences and prevents of and with subgrated planning of the Site Nin in the central area of Catalas. Set Lorenze, Sale Francesce, Joho 2, Glaves Weatle and Weatle Nings Abstrates with other Nings Abstrates of Catalas.	Surt ten     Ketun ten     Surt ten		Puca Venetalis de andare Caratita Catacaras La Aoras La Unator La Unator La Unator La Unator Puca Provea Puca Puca		Autor         Autor		
resentation costs and hancing for every easure easure 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Development Plan of the Func above thatiseing sustainable mobility guidelines on Development Plan of the Yaveholas do Dobber dated holineing sustainable Development Plan of the Yaveholas do Dobber subtancts mobility guideline an Development Plan of the Catalas dobter thiseing sustainable mobility Development Plan of the Catalas dobter thiseing sustainable mobility previous Plan of the Catalas dobter thiseing sustainable mobility gupmach. Development Plan of the Catalas dobter under a sustainable mobility gupmach. Development Plan of the Takelo dobter under a sustainable mobility gupmach. Development Plan of the Takelo dobter under a sustainable mobility gupmach. Development Plan of the Takelo dobter under the gaprach of sustainable mobility gupmach of Lorenz dobter under the gaprach of sustainable beforgenes. Plan di al compatences and prevents of and with subgrated planning of the Site Nin in the central area of Catalas. Set Lorenze, Sale Francesce, Joho 2, Glaves Weatle and Weatle Nings Abstrates with other Nings Abstrates of Catalas.	Short ten Dort ten Dort ten Dort ten Dort ten Dort ten Dort ten Dort ten Dort ten Maten ten Dort ten Maten ten Dort ten Maten ten Maten ten Maten ten	Нар.	Ventida de estate Gentra Galacam La Arros La Undo La Undo Las Limas Pura Provos Pura Pura		Autor     Autor       Autor		
essentation costs and annoing for every easure (Alternational of the second teasure) (Alternational of the second teasure (Alternational of the second teasure) (Alternational of the costs and teasure (Alternational of the costs and teasure) (Alternational of the costs and teasure) (	In Beerspreet Pain of the Yaetsbale de Ordere detect holeseing subanate Boolegnest Pain of the Cabital dotter tholeseing subanates mobility guidenne. An Overlapment Pain of the Cabital dotter tholeseing subanates mobility and Overlapment Pain of the Cabital dotter a subanate mobility approach. Development Pain of the Cabital dotter a subanate mobility approach. Development Pain of the Tables dotter under a subanate mobility approach. Development Pain of the Tables dotter under a subanate mobility approach. Development Pain of the Tables dotter under its approach of subanates Development Pain of the Tables dotter under the approach of subanates in builty dotter process. Development Pain of the Tables dotter under the approach of subanates in builty dotter process. Development Pain of the Tables dotter under the approach of subanates in builty dotter process. Development Pain of the Tables dotter under the approach of subanates in builty dotter process. Development Pain of the Tables dotter under the approach of subanates in builty dotter process. Development Pain of the Tables dotter under the approach of subanates in builty and the dotter with builty in the central area of Cabitas. See Lemers, Sain Francess, John 2, Galves Wateb and Words Alla stream with or babs in the Pains do Arma of Cabicas.	Short ten Dort ten Dort ten Dort ten Dort ten Dort ten Dort ten Dort ten Dort ten Maten ten Dort ten Maten ten Dort ten Maten ten Maten ten Maten ten	Нар.	Catilia Calaxas La Arena D. Salan La Undo Las Unita Las Linna Pura Promos Pura Pura Catilia		Amm         Amm           Amm		
esentation costs and ancing for every passure (Arcenter of 16) (Arcenter of 16)	Revelapment Plan of the Castilia dishter histoweg sustainable mobility guidania. Ian Bewelapment Plan of the Castilias dishter histoweg sustainable mobility Investigment Plan of the Castilias dishter under a sustainable mobility approach. Develapment Plan of the Table dishter under a sustainable mobility approach. Develapment Plan of the Tables dishter under a sustainable mobility approach. Develapment Plan of the Tables dishter under a sustainable mobility approach. Develapment Plan of the Tables dishter under a sustainable mobility approach. Develapment Plan of Like Linnes dishter under his approach of sustainable Develapment Plan of Like Linnes dishter under his approach of sustainable Intervieweg Develapment of compatiences and prevent to dual with integrated planemp rea of Like hardway in the careter of Plans. In of patientries with 544 km in the careter of Plans. See Linness, See Tennosse, John 7, Ellines Wardel and Hende Alts streats. See Linness, See Tennosse, John 7, Ellines Wardel and Hende Alts streats.	Sunt term Durt term Durt term Durt term Durt term Durt term Durt term Durt term Medium term Medium term Medium term Medium term Medium term		Catilia Calaxas La Arena D. Salan La Undo Las Unita Las Linna Pura Promos Pura Pura Catilia		Amm         Amm           Amm		
sentation costs and micing for every asure Heading of the there Heading of the there	an Development Plan of the Calaciase desired hotsening sustainable mobility Development Plan of La Anna dichical under a sustainable mobility approach. Development Plan of La Tablie dichical under a sustainable mobility approach. Development Plan of La Labele dichical under a sustainable mobility approach. Development Plan of the Tambagnade dichical under the approach of sustainable mobility of La Lareas dichical under a sustainable mobility approach of sustainable dichical under the approach of sustainable mobility direction of compatiences and attributions of the Maxim Hamman In Process. Tably with appropriate compatiences and provers to dual with integrided planning are all & Instainable in the central area of calcula. See Lorenzy, Sale Traces under the area of calcula See Lorenzy, Sale Teacous, John 2, Glaves Teached and tendes Alta stream. In of packnism en The central area of Calculas.	Short term Durt term Durt term Durt term Durt term Durt term Medum term Medum term Medum term Medum term Medum term Medum term	Нар.	Colassis La Alexa El Iblio La Unito La Unito Unitograda Las Lonas Puas Promos Puas Puas Puas		Amm         Amm           Amm		
sentation osts and noing for every issure Pathons for every assure Pathons of the Pathons	Development Plan of La Annes dollnet under a sustainable mobility approach. Development Plan of El Tablin dollnet under a sustainable mobility approach. Development Plan of El Tablin dollnet under a sustainable mobility approach. Development Plan of the Tambagnold dotnet under me approach of undersatelle mobility and of the database of an experiants of the subscription sharps for the approach of compatencies and ambabilities of the Marie Integrated Parameter State of 13 hectaries with 544 km in the central area of Castilia and particities with 544 km in the central area of Castilia Sar Lameres, Tale Flancesce, John 2, Elliver Wande and tweede Alts streams in of particities with 544 km in the central area of Castilia	Dust tem Dust tem Dust tem Dust tem Dust tem Matum tem Matum tem Dust tem D	нар. нар. нар. нар. нар. нар. нар. нар. нар. нар. нар. нар.	La Anna El Italian La Unito Italian Las Lonas Pues Proves Pues Proves Pues Pues Pues Pues		AAAA         AAAAA           AAAAA         AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
ntation sts and sing for every ure	Sevelagement Plan of D. Tatlah district under a susfanzelse mobility approach Bevelagement Plan of La Tahlah district under a susfanzelse mobility approach. Development Plan of the Tembergrade district under the approach of undersetate Development Plan of La Tamba district under the approach of undersetate mobility about plan distribution of comparisons and proves to dual with religizated planners bedro generative submits 54.6 km in the centre of Plans. and planticity with ways in the centre of and Califica Sair Lamones, Sair Francesco, John 2, Elliker Wande and Wende Alte streads. Sair Lamones, Sair Francesco, John 2, Elliker Wande and Wende Alte streads. Sair Jonaks in the Plans de Arma of Calificas.	Shurt term Durt term Durt term Durt term Madaum term Madaum term Madaum term Madaum term Madaum term	Нар.	B Tatto     La Undo     Las Undo     Los Linna     Pura Provina     Pura Provina     Pura     Pura     Castila		нана (рана) Анана (рана) Ан		
ntation its and bring for every ure Hardware	Development PAIrs of La Under dational under a sustainable mobility approach. Development PAIrs of the Tambagnedia district under the approach of understated Development PAIrs of Las Lanca dational under the approach of understate mobility sharp for the adhibition of comparisons and ambabilities of the Maire Integrated Development PAIrs of Las Lanca dational under the approach of understated parameters bady with appropriate comparisons and powers to datal with integrated planning one of 43 hectarians with 544 km in the central area of Castilla and particitizes with 544 km in the central area of Castilla Sair Lanness, Taire Francess, John 2, Elliver Watele and Wende Alte streams. Im of particitizes with 545 km and of Casticaes.	Dust tem Dust tem Dust tem Sourt tem Midsum tem Midsum tem Midsum tem Midsum tem	High High High High High High High	La Undo Denting ando Las Limas Pura Provinci Pura Castilia		аааа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа		
tation so and ng for every re Paterior (1) Research (1) R	Development Plan of the Tambogrands district under the approach of sustainable Development Plan of Las Lonia district under the approach of sustainable mobility along for the adhetion of compatences and probabilities of the Marie integral to the Planese case of 62 heatenese with 544 km in the centre of Plans of gladechine welkways in the centrel area of Cabilita Sar Lonners, San Francisco, John 2, Blaker Watele and Winela Alta streads. Im of made in the Plans de Arma of Cabicaes.	Suart term Dard term Madum term Madum term Saart term Madum term Madum term	High High High High High High	Lantogranda Las Lonias Puza Provinca Puza Castila		аааа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа ааааанаа		
tion and for every for every for every	Novtopenet Plan of Lisi Lonus district under the approach of sustantials mobility stage for the addition of compatiences and attributions of the Marie Integral the Process. Lody with appropriate compatiences and powers to deal with integrated planning may of &D hottpress with S44 km in the central area of calcilla. See Loneers, Sain Francisco, John 2, Balvee Walnets and Wanda Alta streams is of radas in the Plana de Arma of Calcillans.	Shart term Madium term Madium term Shart term Madium term Madium term	High High High High High High	Las Lonas Pura Provincia Pura Provincia Pura Castita		ана о о о о о о о о о о о о о о о о о о		
tion and of for every for every	sharp for the adhibition of comparisons and attributions of the fubure Integral the Process. body with appropriate comparisons and powers to deal with integraled planning may of £3 hostness with \$44 km in the central and 4 colora. In of pactorians waitways in the central and an 4 colora. See Lorenzy, Sain Francess, John 2, Bilwee Walende and Weeke Alta streams in of maks in the Place de Arma of Colorans.	Medium tarm Medium tarm Shart term Medium tarm Medium tarm	High High High High High	Pura Povince Pura Povince Pura Castilia		ананананананананананананананананананан		
ation and g for every s for every for ever for every for ever for ever f	body with appropriate competences and powers to deal with integrated planning real of 63 heterose with 544 km in the central of hum. In of patientian walkways in the central area of Cantila. Sin Lonnes, Sile Promose, John 2, Bilwer Waterba and Yanada Alta strates. Im of masts in the Plaza de Armas of Cataceos.	Madium term Shart term Madium term Madium term	High High High	Pura Province Plura Castilla		E120,2000 0		
tion and of for every for every	body with appropriate competences and powers to deal with integrated planning real of 63 heterose with 544 km in the central of hum. In of patientian walkways in the central area of Cantila. Sin Lonnes, Sile Promose, John 2, Bilwer Waterba and Yanada Alta strates. Im of masts in the Plaza de Armas of Cataceos.	Shart term Madium term Madium term	High	Pura		Build 2114		
nd for every for	m of pedestram walkways in the control area of Cabilita San Lonezo, San Francisco, Judo 2, Galiver Waards and Wenda Alta streets Am of mosts in the Plaza de Armas of Catacios	Medium term Medium term	High	Castilla		Build 2114	F	
Intervention of 3 4 4 Pedicitamentation of 3 Pedicitamentation of  Pedicitamentation of  Pedicitamentation of  Descention of the  Pedicitamentation of  Pedicitamentation Pedi	San Lorenzo, San Francisco, Jielin 2, Bilvez Velarde and Verede Alte streets. km of roads in the Plaza de Armas of Catacaos.	Medium term				DI (AV) IT M	F	
Intervention of 122 Production Intervent Intervention of Concentration Concentration of Co Concentration of Co Production Intervent Spacer of La Monta Spacer of La Monta	km of roads in the Plaza de Armas of Catacaos.		High	Plura Province			-	
Padastran intervent Instantionation of G Conversion of the Li Padastran intervent expanse of La Asian Asian of La Asian Asian of La Asian		Medium term						
Transformation of Bio Conversion of Bio Li Pedastrian intervet Signar of La Anna Transformation of C Pedastrian of La Anna Pedastrian of La Anna			Medium	Catacaos		PADITA		
Conversion of the LL Protection intervent space of La Anna transformation of C Podestrain intervent	ion on 1 km of Cayetano Heredia Avenue	Medium term	Medium	Catacaos		11,000,000.00		
Pedectraan intervent square of La Arena Transformation of CI Pedectraan intervent square of La Unide	au Avenue in Cura Mori to a complete street	Long term	Low	Cura Nori		6,30,000		
square of La Arena Transformation of C Pedestrian intervent square of La Unión	a Unión-El Tallán road in El Tallán into a complete street.	Long term	Low	El Tallán		0, 11, 101		
Pedestrian intervent square of La Unión	ion on an area of $5.28$ hectares with $3.41~\mathrm{km}$ of pedestrian network in the main	Long term	Low	La Arena		action		
	amercio Avenue in La Arena to a complete street	Long term	Low	La Arena		5,75,85.8		
Pedestrian intervent main square of Las	ion on an area of 7.2 hectares with 4.16 km of pedestrian network around the main	Long term	Low	La Unión	-	EN MA	-	
	ion on an area of 9.16 hectares with 4.46 km of pedestrian network around the Lomas	Long term	Low	Las Lomas				
Pedestrian intervent	ion in an area of 5.23 hectares with 4 km of pedestrian network around the main	Long term	Low	Tambogrande		D(M)(A210)		
square of Tambogra	nde destrian infractructure in front of the central market to promote multimodality with ublic transport.	Long term	Low	Tambogrande		E-UR, MARIN		
	lan de movilidad Piura, 139, catalogue OBJECTIVE short ACTION		COSTS and finar	ncing	MAIN TOP	105		


Capacity Development Strategy

5				<ul> <li>Walking demand and uses</li> <li>Components of the walking system</li> <li>Planning &amp; design methods for inclusive NMT facilities</li> <li>Data collection &amp; indicators for NMT</li> </ul>
7	Integrated transport	7.E.1	Sustainable mobility project management	Project development steps (opportunity, concept and feasibility, design)     Procurement preparation and management     Demand modelling     Transport network design     Urban integration and alignment     Costing & scheduling     Operation & maintenance
7	Integrated transport	7.E.2	Inclusive, green and gender aware mobility	Energy transportation     Environmental impact assessment     Social impact assessment     Gender related challenges and levers     Social inclusion and social fares in public transports     Marketing approach     Data collection & indicators for environment, social inclusion and gender

Source: SUMP of Dire Dawa, capacity building planned as part of the SUMP



Table 14. Basic elements of the final document





#### Ensure wide political and public support

It is worth reminding what levers can be used to encourage the sustainability and ownership of the SUMP over time:

- A large participatory process and communication campaign, higher public involvement and awareness about the SUMP, can stand as a strong reference for consideration in any later planning initiative.
- An intensive dissemination of the SUMP principles among the local and national stakeholders. In that regard, any ally should be considered, including academics, connected departments, etc.
- Legal instruments or procedures, enabling for example an anticipated validation of 5-years programs under certain financing conditions.

The final step of the elaboration is an opportunity to widen the political and public support of the SUMP.

#### **Regarding decision-makers:**

- Actively inform and get feedback from local and national decision makers, including key ones such as mayors and larger municipal or metropolitan departments heads.
- At the local level, the SUMP needs to be legitimised by the elected political representatives of the bodies
  responsible for the city development. It is a key step in fostering acceptance, making it accountable and
  providing an agreed-upon framework for measure implementation. At the same time, stress that the
  SUMP is grounded on a technical basis, to clarify that it is a planning document that does not belong to
  any party.
- At the regional or national level, a legal basis should be founded for the SUMP to be prescriptive. For example, in Medan a decree was enacted by the regional government that granted the SUMP legal status.

**Regarding the public:** communicate the main elements of the SUMP towards the public and all partners to inform before approval. If possible, use quantifiable evidence of expected benefits and attractive visual elements. Be always clear about what a local authority can realistically do and what it cannot (expectation management).



# Phase 4: Implementation and monitoring

## Step 10: Manage implementation

Step 10 – Manage implementation									
Synopsis of activ	vities								
	Coordinate and plan implementation	Staffing	Capacity building	Mitigate environment and social impacts					
Establish a management unit	Prepare procurement	Manage call for tender	Supervise and control contracts						
	Ensure adequate linkage with stakeholders	Set adequate institutional framework	Ensure political buy-in	Liaise with donors					

- Outputs
- Procedures for implementation, management, and coordination of the SUMP execution, including an organigram of the management unit
- Action factsheets and procurement needs
- Tender specifications and related process
- Dashboard detailing implementation status of actions


#### Coordinate and plan implementation

As a first step, set up a dedicated and qualified team responsible for the SUMP implementation: leading or monitoring projects, evaluating them once implemented and encouraging the ownership of the SUMP among partners all along implementation.

While the SUMP technical committee will likely to provide the most relevant personnel, it may not be large enough to support the workload over the implementation period. To properly size and plan for institutional capacity strengthening, evaluate the capacities of the planning team. Planning workload according to the action plan schedule is the first step to assessing the gap and resulting need for additional resources. Each action should have one main person managing or supervising its implementation. Technical assistance might be relevant to support the team in its different activities over the short/midterm. The capacity building plan may also be adjusted to strengthen the task force.

Prepare factsheets describing the first operational steps for each action – typically, the main requirements for the procurement phase. The SUMP being a strategic document, it provides a sound framework for actions, but it does not specify in detail how each action will be implemented and what needs to be procured. Therefore detail needs to be included with studies/consultancies according to internal resources. Hand over factsheets to the departments and institutions involved in the implementation and establish a project management framework that suits the nature of the measures and the responsibilities of related stakeholders. Agree on the timeline and format for providing and receiving status updates.

The monitoring plan is also to be refined into operational terms, assigning a pilot and partners, as well as reporting processes. Especially, the financing plan shall be continuously consolidated and updated, as measures/measure packages will be matched with concrete financing and funding sources or programs.



## BOX 21 Get an integrated vision from the beginning to the end of a planning process; the example of Medellín, Colombia

The City of Medellín has established an interesting framework for developing inclusive NMT projects - and more recently, guidelines for delivering gender-friendly NMT facilities with three components handled by dedicated mobility, urban, and social specialists throughout the project's lifecycle. The latter is responsible for considering users' perceptions and needs from the project's inception to its implementation. Advanced approaches inherited from marketing have been adopted to that end, using eye tracker jointly with heart pulsation and sweat recorder that enables the analysis of physiological response to the urban environment. Thus, social and urban considerations are structurally integrated into the project, from conceptual stages to implementation and monitoring.

To support this framework, the mobility department has structured according to three distinct poles: an urban pole formed by architects, a mobility pole with civil or transport engineers and a social pole that gathers sociologists, anthropologists, welfare workers, historian, and psychologists. Although having all these specialists speak the same language remains a challenge, Medellín is overcoming technical barriers through capacity building and cross-sectoral workshops from the early stages of a project.

Initiative	Action item	Implementing Agency	Quantity	Unit	Cost/unit (m KES)	Total cost (m KES)
NMT	Lakefront greenway project	CGK	3.7	km	50.00	185.0
NMT	NMT Bicycle parking	CGK, KURA, KeNHA	50.0	Locations	0.50	25.0
NMT	Construction of public toilets	CGK	10.0	no	2.00	20.0
NMT	Annual maintenance for NMT facilities @10% of capital cost	CGK, KURA, KeNHA	1.0	Lump sum	540.05	540.1
Bikeshare	Bike-share implementation	CGK	8.0	Years	30.00	240.0
Lighting	Street lights	CGK, KURA, KeNHA	100.0	Km	4.00	400.0
Lighting	Annual maintenance for street lights @10% of capital cost	CGK, KURA, KeNHA	1.0	Lump sum	40.00	40.0
Public transport	Public transport studies	CGK	1.0	No of studies	20.00	20.0
Public transport	Industry transition negotiations & bus operating company establishment	CGK	12.0	No of months	1.50	18.0

 Table 15. List of pilots and cost for implementation (extract)

Source: SUMP of Kisumu

#### Prepare procurement

Depending on the level of definition of the action sheets, additional work may be required to procure goods and services. A procurement plan shall be established detailing the contracts that stem from the SUMP measures. This plan should define the contract type (technical assistance, consulting, purchases), preparatory studies (feasibility, design), perimeter, content, schedule, target price, etc.

Procurement is usually one of the earlier parts of action implementation but is relevant during the entire implementation stage, depending on the timing of the different actions. Based on the factsheets previously established, refine the scope of work and specific aspects to be detailed in the TOR to be published. Determine the procurement method and timeframe for each good or service, define how it should be carried out, and what kind of contract is needed. In that regard, pay attention to:

- Ensuring effective and timely procurement of all goods and services needed to implement actions.
- Ensuring transparency and competitiveness of the tendering process to challenge providers and get attractive proposals.
- Considering joint procurements with other authorities that may result in lower prices due to economies of scale.
- Minimising negative social and environmental impacts of purchasing decisions, for instance, including indicators in the selection process favoring socially and environmentally responsible companies.

#### Ensure adequate linkage with stakeholders

Continuously encourage political buy-in through regular meetings, reviews, and consultation. As a baseline, No maintain the consultative groups formed throughout the SUMP elaboration and awareness raising activities towards decision-makers. Content should then be adapted to the ongoing measures, to inform and possibly allow participation if relevant.

Institutional reforms are likely to require higher efforts from the leading authority to support the evolution of the institutional set-up. Objectives shall be well understood by all parties and benefits demonstrated along implementation. Collective reviews may be done to this end, thus assuring a close coordination with stakeholders. Ideally, losses are anticipated and compensated somehow.

Liaise with donors, counting with the support of national bodies – Ministry of Foreign Affairs or economic development, for example. The organisation of a donors coordination conference is a way to create the opportunity for getting IFIs involved locally.



#### BOX 22 SUMP & continuity of public action, the example of the Gran Santo Domingo, Dominican Republic

A SUMP is a policy instrument for setting a long-term vision/ strategy, as cities evolve with time and efforts dedicated to urban or transport development can only be assessed over decades. Besides, the scale of investments required by infrastructure development cannot be reached on a short timescale, which is another reason for considering an implementation period that exceeds 10 years. However, political change remains a threat in that regard, as political leaders commonly disown the commitment of their predecessor and opponents. Still the SUMP can prevent this pitfall, as it has been observed in Dominican Republic. The SUMP of the Gran Santo Domingo was adopted one year before national election, that led to the change of the party in power. Nevertheless, the first infrastructure projects have been recognised by the new Government and are being carried out. Numerous actions fields have been taken on by the national transport authority (INTRANT) despite the pandemic and the economic impacts of the sanitary crisis: creation of a mobility observatory, development of bike facilities, fare integration, freight diversion, etc.

## Step 11: Monitor, adapt and communicate

Step 11 – Monitor, adapt and communicate						
Synopsis of activities						
Monitor progress and adapt Inform and engage citizens and stakeholders	Conduct evaluation of measures Inform and engage stakeholders	SUI	uct evaluation of MP milestones rm and engage citizens	Adapt SUMP according to evaluation	Communicate about SUMP results	
Methods			Outputs			
MobiliseYourCity Core Indicators and Monitoring Framework		<ul> <li>SUMP evaluation report, including progress towards measure targets and strategic SUMP targets (evaluated at regular intervals)</li> </ul>				
MobiliseYourCity Guidelines for Measuring and Reporting     GHG Emissions						
MobiliseYourCity GHG Emissions Calculator		<ul> <li>Informed, dis action plan</li> </ul>	cussed and agreed upon ad	justments to the		


Robust monitoring and evaluation processes help systematically learn from one's experiences and make adjustments to improve planning activities. Regular monitoring ensures that necessary progress is being made and evaluation after implementation helps provide evidence of the effectiveness of the SUMP and its measures. These processes are essential for long-term success, as it allows decision makers to justify where money was spent and to avoid mistakes in future.

#### Monitor progress and adapt

Conduct evaluation according to plan and disseminate evaluation results, both at technical (feedback and readjustment of actions or modalities of implementation as needed) and public level, for the sake of transparency and awareness. In that regard, two levels of monitoring should be distinguished, involving different evaluation and communication activities:

• **SUMP level** focuses on outcomes, at least at the end of each programmatic step (short, mid and long-term) to keep track of global impacts and strategic targets achievements, and update the SUMP accordingly.

• Action level focuses on yearly implementation progress and results to maintain the partners in a dynamic of continuous improvement.



#### Figure 51. Monitoring processes

Source: SUMP of Dire Dawa

Evaluation involves assessing indicators on defined milestones to support decision-making regarding the SUMP actions and overall strategy. Different timescales can be considered depending on the measure type, as illustrated in the diagram hereafter. Input data collection shall be planned accordingly, to prepare procurement and anticipate data delivery. Due to the collaborative nature of monitoring and evaluation processes, communication is important to raise awareness among stakeholders and ensure a good understanding of the nature and format of the information required.








Figure 53. Human resources for the Mobility observatory of Santo Domingo Source: AFD

Keep abreast of new developments such as changes in national regulations, funding, or local politics. The SUMP should be adapted to cope with structural change or major events. To do so, successively consider reassessing, reworking and rescheduling measures. Clearly state the changes to SUMP measures that result from the monitoring process and get formal approval for the most important changes at the political level.



#### BOX 23 The mobility observatory of the Dominican Republic: from planning to monitoring

After the SUMP of the Gran Santo Domingo was adopted in 2019, the national transport authority (INTRANT) undertook a study to structure a national mobility observatory, following the SUMP recommendations. The observatory is meant to be a central asset in evaluating the first and future SUMPs in the country.

The project breaks down into three steps: a diagnosis of existing resources, processes and capacities among local actors, the design of the observatory including its operational dimension (data model, human resources, budget, etc.) and technical assistance along the first three months of operation. The process benefitted from an extensive consultation of local stakeholders and various actors involved in the SUMP who discussed how to collaborate effectively in a round table meeting. It also resulted in an intensive communication about the SUMP objectives, measures and how it would affect the existing way of doing things. Thus, a mobility observatory opens a neutral space for dialogue that also offers an alternative channel to disseminate the content of the SUMP.

#### Inform and engage citizens and stakeholders

During this step, the wider public is usually directly affected by action implementation for the first time and therefore expresses high interest in it. Accordingly, the local community needs regular engagement and information.

Continuously advocate for the SUMP principles to encourage ownership from top decision-makers to implementers. This aspect is particularly critical in contexts where the SUMP implementation requires the articulation of different administrations, typically local and metropolitan planning, and executive responsibilities being possibly spared between the two.

Actively involve key stakeholders and citizens to identify accomplishments and improvable steps of the process from their perspective. Indeed, people standing outside the process can provide a quite different view and might have observed important aspects that one cannot see.

**Communicate on a regular basis achievements and lessons learned**, according to opportunities (important to have quantified/significant results to be valued).





## **BOX 24** Why communication remains as important during implementation? The example of Dakar

The city of Dakar has some experience in mobility planning, as an Urban Transport Plan was established for the 2008-2025 period, that is currently under revision under MobiliseYourCity. However, the diagnosis carried out as part of the revision process highlighted that the initial plan had not been fully implemented nor strictly respected, partly due to stakeholders' lack of awareness and ownership. As a result, communication has been prioritised while establishing the new SUMP.

Thus, a communication plan to define an overall strategy for public activities and media participation has been drawn up in addition to stakeholder consultation and public meetings. Its objective is to inform stakeholders about Dakar's urban mobility issues and co-construct a SUMP adapted to the Dakar context. The actors targeted are local governments, businesses, civil society, the press, and the general public. Thus, a page dedicated to the SUMP and hosted on the CETUD (Conseil Exécutif des Transports Urbains de Dakar, public transport authority) website is under construction and a special SUMP newsletter is published regularly on the CETUD digital platforms. The SUMP will have a clear visual identity and a slogan broken down into a hashtag to use on social networks.

Moreover, stakeholder consultation workshops were also organised in the region's four departments to collect the populations' opinions on the metropolis's current situation in terms of mobility and their recommendations for the next 15 years. Thematic meetings (sharing of public space, road safety, digital, energy, gender, etc.) with transport operators, economic and institutional actors, and users were also conducted to produce technical materials and elements relating to the themes at the stage of diagnosis and formulation of objectives. At the end of the project, public meetings are planned to present the SUMP to the population.

The example of Dakar thus reflects the importance of ensuring the SUMP's legitimacy, which conditions the plan's effective implementation. Similar experiences have been reported in other cities like Yaoundé.

### Step 12: Review and learn lessons

Step 12 – Manage implementation				
Synopsis of activities				
SUMP milestones evaluation	Analyse successes and failures	Share results and lessons learned and solutions	nges	
Tools	Methods	Outputs		
<u>CIVITAS guide for evaluating</u> urban mobility measures		Analysis of the successes and failures of the Sustair     Urban Mobility Plan process	nable	
		• Lessons for the preparation of the next SUMP generation		
		New challenges ahead for urban transport and mobility		

The SUMP process is a cycle because it presents continuous development. The end of the process is also the beginning, because a city continues to change and develop. Even as one completes the cycle, it is important to look at what went well and what did not, to share and exchange experiences with citizens and to consider the new issues and challenges to be faced and possible solutions.

Evaluate the successes and failures of the SUMP by analysing the strengths and weaknesses of all phases, the steps followed and their final outcomes. List objectives and strategic targets that could not be achieved but remain on the agenda. Capitalise enough to feed the next SUMP and communicate the lessons learned to the SUMP management instances.



## BOX 25 Improving projects through ex post evaluation, the example of Rabat and Casablanca tramway

Mass transit interventions are defined and designed according to specific objectives that intend to generate positive impacts towards improved mobility, possibly adding to economic development, increased urban productivity and improved public health. At the same time, they often concentrate a large share of the total investments featured in a SUMP. The ex-post evaluation proposes a comprehensive assessment of the projects' real impacts and drawing lessons for future experiences, determining their success factors and weaknesses/shortcomings.

Such evaluation was conducted in Morocco, almost ten years after the first tramway line was introduced in Rabat and Casablanca. It has demonstrated concrete benefits on jobs accessibility and women's inclusion. Moreover, this study has shown that the tramway's image significantly improved the perception of public transportation in general, especially for populations with limited resources, who are usually subjected to poor transport services.

The ex-post evaluation encompasses the following steps:

- Identify the type of impacts expected from the transport project based on the project documentation, stakeholder's opinion and literature review.
- Formulate causal links that can be assumed between the project output and the expected impact, as well as an evaluative method to verify these links and assess the actual impacts (including interviews, focus groups, and field observations).
- Validate/invalidate the causal links through the evaluation process, draw conclusions and make recommendations based on evaluation findings.




Figure 54. Example of causal link analysis Source: AFD, Ex-post evaluation of Casablanca and Rabat light rails

## Final milestone

#### Congratulations on successfully reaching the last milestone of the cycle.

This point in the SUMP marks the completion of measure implementation and its evaluation, the end of the whole cycle, and at the same time, the start of a new SUMP process. This milestone presents a point of reflection where one can look back on the planned and implemented measures, the knowledge and skills acquired, and the challenges and obstacles faced.

On this basis, one can look ahead and assess the expectations for the next planning cycle and decide which improvements and ideas to pursue in future. Share the evaluation results and, if already decided, communicate decisions to continue the process and prepare the next Sustainable Urban Mobility Plan. This can take place in the form of a public event, where citizens, stakeholders, and the (local) media are invited.

The cycle's completion and successes deserve a celebration with the local community. Here, one could be creative and present the experiences of the planning process in an interactive and diverse format (e.g., a walking city tour, presentation of before and after, an 'after movie' etc.). Exhibit to the public what has been accomplished together, what they should be proud of, and highlight what the future may hold if one continues with the SUMP approach.

## List of Figures

Figure 1.	Key figures on the MobiliseYourCity initiative	8
Figure 2.	The ASI concept: Avoid, Shift, Improve	14
Figure 3.	SUMPs contribution to the SDGs	15
Figure 4.	Articulation between national and local transport authorities	17
Figure 5.	The SUMP Cycle – 4 Phases and 13 Steps	18
Figure 6.	SUMP as an integration process	22
Figure 7.	Example of stakeholder mapping format	29
Figure 8.	Training material provided by MobiliseYourCity	31
Figure 9.	Augmentation of temperature (left) and precipitations (right)	36
Figure 10	Respective assets of local administration and consultants for SUMP elaboration	38
Figure 11	SUMP management instances	40
Figure 12	Analysis of actor constellations	42
Figure 13	Different engagement levels in participatory processes and interactions among stakeholders	43
Figure 14	The participatory process in the SUMP of the Santo Domingo	44
Figure 15	Tools and methods for the SUMP participatory process	45
Figure 16	Participation phases in the SUMP of Antofagasta	46
Figure 17	Operational (purple) and enlarged (purple and orange) - SUMP of Dire Dawa	48
Figure 18	Gender definition	52
Figure 19	Examples of objectives for Phase 2, Strategy development and Phase 3, Measure planning and incidence on the work plan to be anticipated in Step 2, Determine planning framework	53
Figure 20	Analysis map produced with a model: frequency of public transports by mode	54
Figure 21	Financing and funding: definition and related sources	57
Figure 22	. Value chain of data processing	61
Figure 23	Screenshot of OSM Tracker	62
Figure 24	Screenshot of Mapillary	62
Figure 25	. Maps for urban analysis	66

Figure 26. Gender based analysis	67
Figure 27. Evolution of the transport budget on the past decade	68
Figure 28. Distribution of responsibilities and financing sources in the SUMP of Dire Dawa	69
Figure 29. Elements for paratransit diagnosis	71
Figure 30. Diagnosis conclusion	72
Figure 31. Cartographic synthesis of main issues regarding the road network	73
Figure 32. Priorities versus cost of measures. City for cars or for people?	76
Figure 33. Different approaches for development scenarios	77
Figure 34. Expected impact of development scenario regarding GHG emissions	77
Figure 35. Three scenarios studied in the SUMP of Santo Domingo	78
Figure 36. Three scenarios studied in the SUMP of Dire Dawa	79
Figure 37. Examples of SUMP objectives	84
Figure 38. Challenges and SUMP main objectives	85
Figure 39. MobiliseYourCity core indicators	86
Figure 40. Output, outcome and impact indicators	87
Figure 41. GHG emissions calculation method (ASIF)	88
Figure 42. Types of sustainable mobility measures	90
Figure 43. Action plan for infrastructure development	91
Figure 44. EASI conceptual framework	93
Figure 45. Action sheets from various SUMPs	97
Figure 46. Guidance for developing a SUMP taskforce	98
Figure 47. Process to estimate cost of measures and develop financial plan	99
Figure 48. Funding and financing sources	100
Figure 49. Typical elements of national government support	101
Figure 50. Priority assessment chart	104
Figure 51. Monitoring processes	123
Figure 52. Synopsis of the evaluation process	123
Figure 53. Human resources for the Mobility observatory of Santo Domingo	124
Figure 54. Example of causal link analysis	129

## **List of Tables**

Table 1.	Implications for MobiliseYourCity geographies of the SUMP European Guidelines	13
Table 2.	SUMP development – Overview of steps, guiding questions and outputs	24
Table 3.	Stakeholders mapping	28
Table 4.	Skills requirements for SUMP	30
Table 5.	Presentation of national/local policies and regulatory framework	32
Table 6.	Input data list (indicative)	34
Table 7.	Interfaces with urban, environmental and social areas along the SUMP cycle	50
Table 8.	Involvement of local technical staff in the SUMP activities	55
Table 9.	Guidance for analysing the mobility situation	65
Table 10.	Multicriteria analysis of scenarios	80
Table 11.	How to handle the stakeholders dialogue as part of the phase 2	81
Table 12.	Checklist for completing a financing plan	100
Table 13.	Monitoring indicators (extract)	103
Table 14.	Basic elements of the final document	116
Table 15.	List of pilots and cost for implementation (extract)	120



